



TABLE OF CONTENTS

IT	Introduction & Terminology
OG	Order Guide
FG	Finish Guide
DK	Knobs & Rosettes
DL	Levers & Rosettes
EP	Escutcheon Plates
FP	Flush Pulls
EH	Entry Handles
ST	Sectional Trim
HF	Hinges & Finials
AC	Accessory Items
LL	Locks & Latches
FS	Forms & Supplements
PL	Price List & Index



TABLE OF CONTENTS

IT	Introduction & Terminology
OG	Order Guide
FG	Finish Guide
DK	Knobs & Rosettes
DL	Levers & Rosettes
EP	Escutcheon Plates
FP	Flush Pulls
EH	Entry Handles
ST	Sectional Trim
HF	Hinges & Finials
AC	Accessory Items
LL	Locks & Latches
FS	Forms & Supplements
PL	Price List & Index

INTRODUCTION

THE COMPANY

Water Street's rich heritage in hardware and manufacturing is based in its roots in Jamestown, New York. Anchored on the shores of Chautauqua Lake, in western New York, Jamestown has been home to a proud tradition of American manufacturing. Jamestown, once known as the "Furniture Capital of the World," began its manufacturing with mills, and eventually became the birthplace of the crescent wrench and automatic voting machines.

Water Street Brass, once known as Jamestown Furniture Hardware, has established itself as a leader in providing the highest quality furniture hardware designed in collaboration with our customers. As Jamestown itself has evolved, so has our business. Our vision has expanded to offering an innovative line of cabinet, door, and furniture hardware for homes of today and tomorrow.

Our passionate team of designers and artisans has worked in concert to develop a well appointed line of decorative hardware which embodies harmony of form, function, and deep devotion to beauty. Leading the marketplace with innovative designs, quality in every detail, and excellent customer service are essential to the future of American manufacturing. It's a challenge we were born to.

We are proud to welcome our loyal customers who have honored us with the opportunity to be a part of their spectacular projects, and we are thrilled to embrace new clients. We appreciate your enthusiastic support as we fill our portfolio with innovation and beauty for the well dressed home.



ORDERING DOOR HARDWARE

Our door hardware is designed, manufactured, finished and assembled in our facility in Lakewood New York. The hardware is finished by the job to ensure consistency.

While this catalog shows our hardware in suggested pairings, the components are all designed to be interchangeable and cross functional. If you choose a knob or lever from one page, but would like them to be used with a rosette, escutcheon plate from a different page, we can accommodate your vision.

All of our hardware is available in any of our standard finishes and you may split finishes from one side of a door to the other. Special finishes, PVD or fine metal finishes are also available but extended lead times and upcharges will apply.

As described in detail in the **Order Guide** section of this catalog, ordering is a matter of completing a hardware schedule for your project. This can be done by hand or by using our electronic spreadsheet. The order guide will walk you through the process:



- Specify the type and quantity of doors
- Decide the hardware you want on the exterior and interior sides of your door(s)
- Specify the lock or latch being used on the door(s)
- Provide the specifications for each door
- Specify the finish or finishes you desire

You can submit your information for a preliminary quote or, if you are ready to go simply place an order. We will review each line of your order for complete information and accuracy. If we have any questions or concerns we will submit them to you for review prior to acknowledgment. Once your final order has been acknowledged and a deposit has been received, we will provide you with a time line and for delivery.

The standard lead time for door orders is 6 - 8 weeks, but may vary depending on production load and material availability. There are no minimum order requirements.

Orders of \$8,500.00 or greater require a 50% deposit.

MULTIPOINT DOORS

Projects that include Multipoint door will require that you complete a multipoint check sheet for each door. These can be found in the **Forms & Supplements** section of the catalog. Multipoint locks are provided by the door manufacturer, so we require this information to assure proper spacing and functionality for each of your doors.

We have listed our standard spacing options which work for most profile cylinder or American Multipoint door manufacturers. However, older doors or unique lock manufacturers may require customized spacing. Please make every attempt to provide all the information requested so we can make the installation of your new hardware as easy as possible.

Spring assists are standard for multipoint doors when the trim allows. Additional door modification will be required.

Multipoint projects are not eligible for return.

CUSTOM HARDWARE

Water Street Brass will also provide custom hardware components designed and made to your specifications. These may include:

- Non-standard sized knobs or levers, escutcheon plates
- Unique or custom designed hardware based on your drawings or ideas
- Legacy designs - we can match existing hardware where reproductions are required.
The intention is to match the appearance of the legacy hardware - modern locks and latches will be used.

For these special projects, we may provide engineering drawings, project renderings or 3D printed models for approval. A deposit will be required prior to any design work being done.

We will ask that you sign off on all project prints before work can begin. Expected lead times will be provided at the time of order confirmation.

Custom projects are not eligible for return.

PRICING TIERS

You will see pricing tiers for different hardware on the price sheets. Tiers are generally determined by the knob, lever or pull being used for a hardware set. As an example, an entry set with a **Tier I** lever will be less expensive than the same set with a **Tier II** lever.

For hinges, the tiers are determined by the finials being specified.

The tier prices are the baseline for any given set or standard hardware. Consult the notes on the price lists for more information on pricing. Factors like non-standard backsets, lock substitutions or extended lip strike plates may affect the price listed.

Custom engraved or hand hammered hardware is available and will be priced upon request.



FINISHES

All our hardware is available in any of our standard finishes, as described in the **Finish Guide** section of this catalog. Lead times vary depending on the finish selected. For PVD, Powder Coat or silver finishes please see the supplemental pricing in the **Forms & Supplements** section of this catalog for lot minimums and lead times.

EXPEDITED ORDERS

Orders may be expedited for a 25% fee. Lead times will vary depending on finish and customizing options such as hammering and monogramming. Lead times and availability are dependent upon production levels at the time of the order. Ship dates are not guaranteed. Please contact customer service for current lead times or more information.

SAMPLES

Samples are available upon request. Lead times are subject to availability. All sample orders are not returnable. Finish sample chips and finish rings are also available to order. Please see the **Finish Chip Order Form** in the **Forms & Supplements** section of this catalog.

WARRANTY

Water Street Brass hardware is designed, manufactured and finished with constant vigilance to ensure superior style, quality and craftsmanship. Water Street Brass provides the following warranties on architectural door hardware:

A warranty of two years is provided on all mechanical parts to be free from defects in material and workmanship under normal usage. Water Street Brass finishes that are protected by a lacquer topcoat are guaranteed from defects for one year from the date of purchase. Waxed or uncoated finishes are considered living finishes and will patina over time, enhancing each piece with the beautiful and unique character reflective of hand finishing. For this reason, our living finishes are not covered under warranty. PVD finishes carry a lifetime warranty against tarnish. Please note that due to the effects of salt spray in coastal applications, any product installed outdoors, in a marine environment is excluded from the PVD finish warranty.

Water Street Brass hardware must be installed and maintained by a professional hardware installer or all warranties are void. Water Street Brass will replace or repair defective products or parts that fall within these warranty parameters. This warranty is void for damages due to misuse, abuse, neglect, accident, improper installation or improper care of finishes. This warranty is limited to defective parts replacement only and does not cover labor charges, transportation costs or handling charges for repair or replacement of defective products. The Water Street Brass warranty is only valid for the original purchaser and is limited to hardware used in residential applications. Proof of purchase must be made available for all warranty claims. Scratches and wear due to normal usage are not considered a defect and will not be covered by this warranty. Water Street Brass will be the sole interpreter of the above warranty.

RETURN POLICY

Items may be returned within 90 days of our shipment date. A return authorization must be obtained by contacting us at **orders@waterstreetbrass.com** or calling toll free 855-664-4321. A 50% restocking fee will apply and shipping costs are non-refundable.

All products must be packaged carefully and returned in good condition in order to receive credit. Products damaged during return because of poor packaging are not eligible for a refund for any reason.

Regardless of the reason for the return, any warranty on mortise locks is void and no credit will be given if the lock has been opened or modified.

Multipoint sets, custom work, special orders or items that have been personalized are not eligible for return.

PVD and powder coat orders are not eligible for return.

CONTACT US

Water Street Brass
2155 Allen Street Extension
Falconer, New York 14733

Phone: 716-763-0059
Toll Free: 855-664-4321
Fax: 716-763-6043
E-mail: orders@waterstreetbrass.com
Website: www.waterstreetbrass.com

TERMINOLOGY

DOORS & DOOR FUNCTIONS

ENTRY HANDLE



An exterior door with a latch operated by an entry thumbpiece latch on the exterior with a lever or knob on the interior. An entry handle door typically uses a mortise lock, and thumbpiece x thumbpiece entry function is available.

A tubular thumbpiece x lever or knob is also available and is typically coupled with an auxiliary deadbolt.

An entry handle door may be coupled with a fixed or swinging dummy door to create an entry handle door set.

ENTRY

An exterior door with a latch operated by a lever or knob set. An entry door may have a tubular latch coupled with an auxiliary dead bolt, a mortise lock or a multipoint lock. An entry door may be coupled with a fixed or swinging dummy door to create an entry set.

PRIVACY

A locking interior door with a latch operated by lever or knob set. A privacy door can only be locked from the interior side, such as in a bedroom or bathroom. A privacy door may have a tubular latch with a pin operated locking mechanism, a passage tubular latch coupled with a separate mortise bolt, or an integrated mortise latch and lock. Privacy doors include emergency egress access on the exterior side of the door.

PATIO

An active door that can only be locked or unlocked from the interior of the home. A patio door may have either an active or fixed knob or lever on the exterior. Typically only used on exterior doors such as porches or patios.

PASSAGE

Any non-locking interior door operated by a lever or knob set. Tubular latches or mortise passage latches are available.

FULL DUMMY

An interior door with non-functioning levers or knobs on both sides. There is not a latch within the door. A full dummy may be in-swing, out-swing or fixed in place and is usually the non functional side of a door set. A door with a double swing hinge might have full dummy hardware attached in place of push plates.

HALF DUMMY

An interior door with a fixed lever or knob on one side. A half dummy may be fixed in position or may have a reverse swing function, as in a closet or cupboard. A half dummy door may be held in position with a roller latch or a ball latch.

POCKET

An interior door suspended from a rail in the frame header that slides into a pocket constructed in the wall. It may be a single door or come in pairs, and are usually operated with flush pulls. Special mortise locks and edge pulls are available for these doors.

LIFT & SLIDE

An exterior door that raises up and rides on rollers in a rail. The doors can be very heavy by design and use a very special Lift & Slide locking mechanism operated with oversize levers. The door can be a single leaf or many doors that open in succession. A European profile lock cylinder is used to lock the door.

SLIDING PATIO

Exterior entry doors that slide on a rail rather than pivot on hinges. Sliding patio doors feature a fixed leaf and a sliding active leaf. It comes equipped with back to back pulls instead of levers or knobs and only lock from the interior of the home.

LOCKS & LATCHES

MORTISE LOCK

A lock body that normally integrates locking and latching functions in a single unit. The mortise lock is inserted inside a door and typically provides better security and a longer life span than a simple tubular latch.

The locking mechanism can be operated by a lock cylinder, a turn piece or combinations of the two. Mortise locks can be specified with a variety of functions, including: entry, passage, patio or privacy.

MULTIPOINT LOCK

A mortise lock body that integrates locking functions at several points along the length of the door edge through a number of bolts. This type of lock is highly secure and resistant to extreme weather conditions. These locks come pre-installed in most doors sets and are operated with either a profile lock cylinder or an American style lock cylinder.

Due to the bidirectional activation mechanisms, multipoint locks require levers for operation.

AUXILIARY DEAD BOLT

A secure tubular locking mechanism that is used in conjunction with a tubular latch to secure an entry door. The lock is activated with a keyed lock cylinder and an interior thumb turn, or may have both an interior and exterior lock cylinder.

Dead bolts are provided with steel reinforced strike sub-plates and longer mounting screws for enhanced security.

TERMINOLOGY

PRIVACY MORTISE BOLT

A tubular locking bolt that is used in conjunction with a tubular latch in a privacy door such as a bedroom or a bathroom. The mortise bolt is operated from the interior side of the door with a thumb turn. Usually, emergency egress access is provided on the exterior side of the door.

TUBULAR LATCH

The latching mechanism found in most interior doors. It is operated with either set of door knobs or levers which retract the latching bolt. A latch may have a pin operated locking function for privacy doors.

CREMONE BOLT

A manual locking mechanism located on the interior side of the door that employs a lever or knob to operate a single rod or pair of rods to secure a door in place. When operated, the rods index up and down in tandem to engage strikes located in the door header and in the sill of the door frame.

SURFACE BOLT

A locking mechanism located on the interior side of a door that employs a knob to operate a single rod to secure a door in place. The rod is manually moved to engage a strike located in the header, jamb or sill of a door frame.

ROLLER LATCH / BALL LATCH

A simple latching mechanism that uses springs to provide pressure to a roller pin or a ball. The pin or ball seats into a indented strike plate to hold an active dummy door in place in the closed position, but provides no locking capabilities.

LOCK CYLINDERS

MORTISE CYLINDER

The keyway mechanism for mortise locks. This cylinder screws into the mortise lock and is located on the exterior side of the door. Cylinders come in varying sizes to accommodate any thickness of door and can be keyed alike so one key works throughout the home. A second cylinder can be used on the interior to provide a key x key entry.

PROFILE CYLINDER

This cylinder can be used on European multipoint locks and single point mortise locks. The cylinder is typically key x turn piece, but also can be provided with key x key if desired. Half cylinders allow patio doors to be locked with either a turn piece or a key.



The cylinder is inserted into the lock body and is held in place by a locking screw inserted from the edge of the door. It comes in a range of lengths to accommodate various sized doors and can be special ordered to work with offset lock spacing.

AMERICAN (U.S.) CYLINDER

Used on American style multipoint locks, this cylinder only comes as a key function to be used on the exterior side of a door. The key indexes a tailpiece that actually engages with

the lock body. It is used in conjunction with a turn piece on the interior side of the door.

AUXILIARY DEAD BOLT CYLINDER



Similar to a mortise cylinder but smaller in diameter, this cylinder is designed to turn a tailpiece which fits into a tubular deadbolt. It can be used in conjunction with an interior turn piece or a special interior auxiliary dead bolt key cylinder.

HARDWARE COMPONENTS

KNOB

A knob is a piece of hardware used to open a door or activate a lock. A knob is typically round or oval, but can come in any number of sizes and shapes. Unlike a lever, a door knob is designed to function with a lock that will rotate clockwise or counterclockwise.

LEVER

A lever is a piece of door hardware used to open a door or activate a lock. Levers function in sets, one left and one right handed lever work on either side of a door. On passage and privacy doors, levers only work by pressing downward on them, but on multipoint doors a lever will also pull upward to activate the locking mechanisms.

ROSETTE / ROSE

A rosette is a decorative trim piece of hardware trim that acts as a base for either a knob or lever. It's primary function is to cover the hole in the door through which the spindle passes and to hide any mounting hardware used to secure the knob or lever to the door.

ESCUTCHEON / PLATE

An escutcheon is a decorative trim plate mounted to the door surface. Much like a rosette, its function is to cover holes in the door and provide a surface on which door hardware can sit. An escutcheon can come in any number of sizes, shapes and styles.

PULL

A pull is a decorative handle used to open cabinet, appliance and passage doors. They can be mounted on only one side of a door, as on a kitchen cabinet or a refrigerator, or back to back as on a double hinged swinging door.

ENTRY HANDLE

An entry handle is a decorative door pull designed to work with a thumbpiece on a mortise entrance set. The handle can also be used alone on a pull plate.

THUMBPIECE

A small lever that activates the latch mechanism on a mortise entrance set. It is mounted on an entry escutcheon above the entry handle.

TERMINOLOGY

THUMB TURN

A small knob affixed to an escutcheon or thumb turn back plate. The thumb turn has a stem or tailpiece attached and is used to activate a lock mechanism.

BACK PLATE

A small decorative plate that serves as the base for a cabinet knob or pull. Back plates can also be used to hold emergency egress buttons, mortise bolt turn pieces, doorbell buttons or decorative swing covers.

CYLINDER COLLAR

A decorative ring designed to hold a mortise lock or auxiliary dead bolt cylinder on an escutcheon or directly on a door surface. Often, a cylinder collar is necessary to provide the proper spacing between the cylinder and the lock body.

SWING COVER

A decorative swinging trim plate that is attached to a cylinder collar, an escutcheon or a back plate. It is used to cover a lock cylinder, an emergency egress or a key hole.

FLUSH PULL

A recessed cup mortised into the face of a door. Flush pulls can be used on interior pocket doors or exterior lift & slide door sets. Depending on the thickness of the doors, mortise locks are available.

EDGE PULL

A retractable handle mortised into the edge of a pocket door to provide a means of extracting the door from the wall pocket.

FACE PLATE


The plate that holds a latch or lock body in place in the door. The edge of the door is mortised to accept the face plate and it is held in place with two screws. Face plates are specific to the lock or latch they cover.

STRIKE PLATE

The plate attached to the door jamb that accepts the latch bolt or locking bolt. They are designed to protect the surface of the door jamb and hold the door securely when closed. Strikes come in many styles and handing must be specified when ordering.

HINGE

The metal pivot on which doors rest. Hinges come in a variety of styles, sizes and grades. The leaf of a hinge can be surface mounted or mortised into the door and frame.



FINIAL

Finials are the small end caps that cover hinge pins. They come in a variety of sizes and styles.

MATERIALS & FINISHING

BRASS

A durable yellow metal used to manufacture the majority of decorative hardware. Brass is sturdy, relatively nonporous and retains its form while accepting a wide variety of finishes. Decorative hardware is manufactured using a variety of methods, including: investment casting, extrusion, turning, forging and CNC milling.

WOODEN HANDLES & INSERTS

Water Street Brass offers a selection of pulls, levers and door knobs that feature wood spindles or inserts. Several species and finishes of wood are available. Because prolonged exposure to the elements may degrade the appearance and finish of these inserts, wooden hardware is not recommended for exterior applications.

LACQUER FINISH

A clear coat applied to enhance the beauty and protect the finish for years to come. Lacquers come in a variety of sheens and tints.

WAX FINISH

Instead of applying lacquers to finished products, a high quality wax can be applied to allow the metal to wear and age naturally. As the metal ages, is handled and is exposed to environmental conditions, it will develop a lovely patina that adds to the luster and timeless beauty of the piece.

POWDER COAT FINISH




A durable coating process that provides extended protection and a variety of color choices for hardware.

PVD FINISH

Physical Vapor Deposition finishes are applied using a vacuum coating process and provide the highest level of protection from elements and use. PVD is available in a limited but diverse selection of finishes.

*For more information and a complete list of our finishes, refer to our **Finish Guide** section of this manual.*

TERMINOLOGY



PARTS OF A DOOR

Throughout this catalog you will find references to different parts of a door. When ordering your hardware, it is important to note the material of the door surface. Metal and metal clad doors will be supplied with machine screws for mounting the hardware instead of standard wood screws.

The diagram shows the various parts, but some key references include:

LOCK STILE

The lock stile spans the height of the door and this is the area where your door hardware will be mounted. It is important to know the width of your stile to determine the size of the hardware it will accommodate.

BACKSET

The backset is the distance from the edge of the door stile to the center of the spindle hub in the lock or latch mechanism. This measurement also applies to the distance for thumb turns and lock cylinders.

CENTER TO CENTER

When installing locks and latches, it is important to determine the center to center dimension from the latch spindle to the locking mechanism. This dimension is predetermined when installing mortise locks. While there are recommended standard CtoC and minimum dimensions for tubular locks and latches, locks may be placed at any locations on your door, either above or below the latch.

PRE-DRILL BORE

Some doors come from the factory pre-drilled for tubular latch or lock installation. If your door is pre-drilled you will require a special mounting adapter for sectional hardware trim.

JAMB

The door jamb is the area of the door frame on which the door stops, your hinges and latching strikes are attached. These are the strong structural elements that will support the weight of your door.

DETERMINING DOOR HANDING

Door handing is always established from the exterior side of a door. When looking at an entry door from the outside of the building, the side of the door on which the hinges are located is hand of the door, as shown.

When determining the handing on an interior door, the exterior side is considered the hallway or the room from which you are entering. Example, if you are entering a bathroom or closet from a bedroom, the bedroom is considered the exterior.

DOOR HARDWARE ORDER GUIDE

TABLE OF CONTENTS

Order Information Pages Overview	OG2 - OG3
How To Use Your Hardware Schedule	OG4 - OG5
MTT Mortise Thumbpiece x Thumbpiece Sets	OG6 - OG7
MTKL Mortise Thumbpiece x Knob Lever Sets	OG8 - OG9
ME Mortise Escutcheon Sets - Medium Plates	OG10 - OG11
ME Mortise Escutcheon Sets - Small Plates	OG12 - OG13
MS Mortise Lock Sectional Sets	OG14 - OG15
TTKL Tubular Thumbpiece x Knob Lever Sets	OG16 - OG17
TE Tubular Escutcheon Sets - Medium Plates	OG18 - OG19
TE Tubular Escutcheon Sets - Small Plates	OG20 - OG21
TS Tubular Sectional Sets	OG22 - OG23
MDL Mortise Deadlock Sets	OG24 - OG25
TDB Tubular Deadbolt Sets	OG24 - OG25
TMB Tubular Mortise Bolt Sets	OG24 - OG25
EPMP Profile Cylinder Multipoint Sets	OG26 - OG27
SPMP Sectional Profile Cylinder Multipoint Sets	OG28 - OG29
EAMP American Cylinder Multipoint Sets	OG30 - OG31
FP Flush Pull Sets	OG32 - OG33
PU Push Plate Sets	OG34 - OG35
SD Screen Door Sets	OG36 - OG37
WT Window Trim	OG38 - OG39

WATER STREET BRASS HARDWARE SCHEDULE



CUSTOMER NAME OR ID:
PROJECT NAME:
PROJECT CONTACT:
DATE:

QUOTE OR ORDER:
REFERENCE NUMBER:
DELIVERY ADDRESS:

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
BRASS, ANY REPRODUCTION IN PART
WATER STREET BRASS IS PROHIBITED

				STYLE										SPECIFICATIONS										WATER/STREET INPUT		
				EXTERIOR					INTERIOR																	
				LINE	ITD	DOOR NUMBER, TAG, OR DESCRIPTION	TYPE - FUNCTION	LEVER KNOB HANDLE	ESCUTCHION/ROSETTE	CYLINDER/ICE	TRIM	LEVER KNOB HANDLE	ESCUTCHION/ROSETTE	THUMB TURN CYLINDER	TRIM	LOCK	STRIKE	HANDING	BACKSET	THICKNESS	MOUNTING	DOOR MATERIAL	EXT X INT	LINE ITEM NOTE	MSP EACH	MSP EXTENDED
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
																						\$ -	-			
				SUBTOTAL:																						
ADDITIONAL NOTES:																										

CREATING YOUR HARDWARE SCHEDULE

1	2	3	4				5	6											7	8	9	10	11	12	13	14
LINE	QTY	DOOR NUMBER, TAG, OR DESCRIPTION	TYPE - FUNCTION	EXTERIOR			STYLE			INTERIOR			SPECIFICATIONS													
				LEVER KNOB HANDLE	ESCUICHEON ROSETTE	CYLINDER EE	TRIM	LEVER KNOB HANDLE	ESCUICHEON ROSETTE	THUMB TURN CYLINDER	TRIM	LOCK	STRIKE	HANDING	BACKSET	THICKNESS	MOUNTING	DOOR MATERIAL	EXT X INT	LINE ITEM NOTE						

1-5 Door Description

- State the total quantity of each function required.
- Assign tag numbers for each door in the project. Example: Tag 001 - Front Entry.
- Insert the Type and Function codes as determined on your **Order Information** pages.
- Insert the exterior hardware part numbers. Enter "CYL" for lock cylinders.

- Insert the interior hardware part numbers. Where no item is required, insert a dash or simply leave the blank. For items like door stops, flush bolts or hinges, insert the part numbers under the exterior lever and rosette columns.

6 Tubular latches

- No lock or latch required
 - Tubular latch, privacy bolt or deadbolt
- Water Street Brass will determine the proper components to use based on the function and backset.

6 Mortise locks and latches

The first two digits will indicate the determine the series of mortise lock you will be using. The following are our standard mortise series locks:

- 87 8700 series lock
- 88 8800 series lock
- 90 9000 series lock
- 91 9100 series lock
- 98 9800 series lock

Other series locks may be used for special applications.

The last two digits indicate the general function of the locks in question:

- **24 Mortise entry
- **25 Mortise passage

- **39 Mortise privacy / patio
- **48 Mortise entry - toggle to unlock
- **49 Mortise entry - toggle to lock
- **67 Mortise entry - toggle to unlock, with anti-manipulation latch
- **69 Mortise entry - toggle to lock, with anti-manipulation latch


7 Strike Options

- No strike plate required
 - TLS# T-strike for tubular latch
 - TLS200* T-strike - extended lip (2")
 - FLS# Full lip strike for tubular latch
 - FLS214* Full lip strike - extended lip (2-1/4")
 - MLS# Standard mortise lock strike plate
 - MLS212* Mortise strike - extended lip (2-1/2")
- *Add desired lip to center length.
See extended strike lip order sheet for details for ordering.

- # We will provide the proper strike plate based on door thickness.

8 Door Handing

- Handing not applicable
- LH Left hand
- LHR Left hand reverse
- RH Right hand
- RHR Right hand reverse



9 Backset

- 114 1-1/4"
- 112 1-1/2"
- 134 1-3/4"
- 200 2"
- 214 2-1/4"
- 0 Other

Consult Locks & Latches to find available backsets for your applications.

Door Specifications

10 Door Thickness

- 138 1-3/8"
- 112 1-1/2"
- 158 1-5/8"
- 178 1-7/8"
- 200 2"
- 0* Other

Round odd measurements up to nearest 1/8" and convert to a three digit number. Example: 1-13/16" door would round up to 178.

11 Mounting

- PD 2-1/8" pre-bored door
- RM Rosette mounting
- SB Sex bolts
- SM Surface mount
- TB Through bolts
- BTB Back to back

12 Door Material

- W Wooden door and frame
 - M Metal door and frame
- Drill and tap metal doors for machine screws.
Insert information on metal clad doors, wooden door with metal frames, etc. in the line item notes section (14).

13 Finish: Exterior x Interior

Insert the finish codes for your hardware, exterior first x interior. A single entry is sufficient for one finish only. Here are a few samples:

- PC Polished chrome - exterior and interior
- PBNL x SB Polished brass, no lacquer - exterior, Satin Brass - interior
- PVD-ORB x ORB PVD oil rubbed bronze - exterior, oil rubbed bronze - interior
- RAL5019 Powder coat (Capri Blue) exterior and interior

Consult the Finish Guide for a full list of finish codes, including PVD and powder coat finishes.

14 Line Item Note

Use this field to insert comments regarding doors, hardware requirements, or other note worthy information.

Examples include: split finishes, rabbeted door strikes, flush bolts, upside down mortise locks, etc...

Water Street Input (See full worksheet)

This section of the hardware schedule is primarily a tool for Water Street Brass to effectively quote on your project. These three fields will be thoroughly reviewed and edited as necessary by our sales team.








DOOR HARDWARE ORDER GUIDE

ORDER INFORMATION PAGES OVERVIEW

Once you have decided the hardware you want to use for your project, you can begin to build your order.

The following pages will help you to identify the hardware for your door orders.

These pages are arranged as follows:

1	MORTISE SECTIONAL SETS		
	Exterior	Interior	Description
2			MS-EN Exterior trim: Interior trim: Mortise Lock:
			ENTRY SET Knob or lever, rosette, mortise cylinder trim plate and cylinder Knob or lever, rosette, thumb turn and trim plate Optional interior cylinder trim plate and cylinder 48 - Standard backsets: 2-1/2" or 2-3/4"
			MS-ST Exterior trim: Interior trim: Mortise Lock:
			STOREROOM SET Knob or lever, rosette, mortise cylinder trim plate and cylinder Knob or lever and rosette 59 - standard backsets: 2-1/2" or 2-3/4"
			MS-PR Exterior trim: Interior trim: Mortise Lock:
			PRIVACY SET Knob or lever, rosette, emergency egress trim plate and button Knob or lever, rosette, thumb turn and trim plate 39 - Standard backsets: 2-1/2" or 2-3/4"
			MS-PT Exterior trim: Interior trim: Mortise Lock:
			PATIO SET Knob or lever, rosette Knob or lever, rosette, thumb turn and trim plate 39 - Standard backsets: 2-1/2" or 2-3/4"
			MS-PS Exterior trim: Interior trim: Mortise Lock:
			PASSAGE SET Knob or lever, rosette Knob or lever, rosette 25 - Backsets: 2-1/2" or 2-3/4"
			MS-FD Exterior trim: Interior trim:
			FULL DUMMY SET Fixed knob or lever, rosette Fixed knob or lever, rosette
			MS-HD Exterior trim: Interior trim:
			HALF DUMMY SET Fixed knob or lever, rosette Rosette on pre-bored door only

1. Type

To start, what type of lock or latch you will be using for each door; tubular or mortise?

Do you want sectional trim or escutcheons?

For example: if you are want a mortise privacy set with sectional trim with, you would go to this page.

2. Functions

These guides to show the major hardware components as they will look on your door.

The basic descriptions list the components required for each set. For most functions, levers or door knobs can be used interchangeably.

The diagrams are for reference only; the spacing and alignment of the components may not be to scale or exactly match your hardware.

DOOR HARDWARE ORDER GUIDE

ORDER INFORMATION PAGES OVERVIEW

3

MORTISE SECTIONAL COMPONENTS

EXTERIOR

INTERIOR

- 9100 series lock standard for entry and storeroom applications. 9000 series lock used on doors under 1-3/4" thick.
- 9800 series lock standard for privacy, patio or passage applications.
- Cylinder x cylinder function is available.
- Rabbeted strikes and face plates are available.
- Extended lip strikes are available.

FUNCTION DESCRIPTION	TYPE FUNCTION	STYLE							
		EXTERIOR				INTERIOR			
		LEVER-KNOB HANDLE	ESCUTCHEONS ROSETTES	CYLINDERS L.E.	TRIM	LEVER-KNOB HANDLE	ESCUTCHEONS ROSETTES	THUMB TURN CYLINDER	TRIM
ENTRY	MS-EN			CYL					
STOREROOM	MS-ST			CYL				NA	NA
PRIVACY	MS-PR								
PATIO	MS-PT			NA	NA				
PASSAGE	MS-PS			NA	NA			NA	NA
FULL DUMMY	MS-FD			NA	NA			NA	NA
HALF DUMMY	MS-HD			NA	NA	NA	NA	NA	NA

4

3. Components

This graphic shows the various components that may be included for the functions covered. Note that not all components are used for all functions.

You are given the name of each component and the catalog sections where you might see various styles from which to select.

Most components are interchangeable and you may choose to use more than one style of hardware on your doors.

The diagrams are for reference only; your hardware may differ in appearance.









4. Hardware Schedule Worksheet

Use these worksheets to fill in your Hardware Schedule.


This section only deals with the hardware which is used for any given function. If a part is not required, the block is grayed out and labeled as "NA" (Not Applicable).

In the example here, for a passage set you would enter the part number for the exterior rosette, the knob or lever, and the interior rosette, knob or lever. You would not require a lock cylinder, emergency egress, thumb turn, or the associated trim plates.

MORTISE THUMBPIECE X THUMBPIECE SETS

Exterior	Interior	Description	
		MTT-EN	ENTRY SET
		Exterior trim:	Escutcheon, entry handle, thumbpiece, mortise cylinder Optional cylinder swing cover
		Interior trim:	Escutcheon, entry handle, thumbpiece, thumb turn Optional cylinder x cylinder function available.
		Mortise Lock:	48 - standard backsets: 2-1/2" or 2-3/4"
		MTT-ST	STOREROOM SET
		Exterior trim:	Escutcheon, entry handle, thumbpiece, mortise cylinder Optional cylinder swing cover
		Interior trim:	Escutcheon, entry handle, thumbpiece Optional (Store Door) cylinder x cylinder function available.
		Mortise Lock:	59 - standard backsets: 2-1/2" or 2-3/4"
		MTT-PT	PATIO SET
		Exterior trim:	Escutcheon, entry handle, thumbpiece
		Interior trim:	Escutcheon, entry handle, thumbpiece, thumb turn
		Mortise Lock:	39 - standard backsets: 2-1/2" or 2-3/4"
		MTT-FD	FULL DUMMY SET
		Exterior trim:	Escutcheon, entry handle, fixed thumbpiece
		Interior trim:	Escutcheon, entry handle, fixed thumbpiece Used on inactive leaf of double door set













MORTISE THUMBPIECE X THUMBPIECE COMPONENTS




- Surface mount screws standard on escutcheons. Through bolts available upon request.
- 9100 series lock standard. 9000 series lock used on doors under 1-3/4" thick.
- Cylinder x cylinder function is available.
- Rabbeted strikes and face plates are available.
- Extended lip strikes are available.

		STYLE							
FUNCTION DESCRIPTION	TYPE - FUNCTION	EXTERIOR				INTERIOR			
		LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
ENTRY	MTT-EN			CYL	NA				NA
STOREROOM	MTT-ST			CYL	NA			NA	NA
PATIO	MTT-PT			NA	NA				NA
FULL DUMMY	MTT-FD			NA	NA			NA	NA

MORTISE THUMBPIECE X KNOB OR LEVER SETS

Exterior	Interior	Description	
		MTKL-EN	ENTRY SET
		Exterior trim:	Escutcheon , thumbpiece, entry handle and mortise cylinder Optional cylinder swing cover
		Interior trim:	Escutcheon, active knob or lever, thumb turn, bolt cover Optional cylinder x cylinder function available.
		Mortise Lock:	48 - standard backsets: 2-1/2" or 2-3/4"
		MTKL-ST	STOREROOM SET
		Exterior trim:	Escutcheon , thumbpiece, entry handle and mortise cylinder Optional cylinder swing cover
		Interior trim:	Escutcheon, active knob or lever, bolt cover Optional cylinder x cylinder function available.
		Mortise Lock:	59 - standard backsets: 2-1/2" or 2-3/4"
		MTKL-PT	PATIO SET
		Exterior trim:	Escutcheon , thumbpiece, entry handle
		Interior trim:	Escutcheon, active knob or lever, thumb turn, bolt cover
		Mortise Lock:	39 - standard backsets: 2-1/2" or 2-3/4"
		MTKL-FD	FULL DUMMY SET
		Exterior trim:	Escutcheon , fixed thumbpiece, entry handle
		Interior trim:	Escutcheon, fixed knob or lever, bolt cover
			Dummy set typical on double entry doors

MORTISE THUMBPIECE X KNOB OR LEVER COMPONENTS



- Surface mount screws standard on escutcheons. Through bolts available upon request.
- 9100 series lock standard. 9000 series lock used on doors under 1-3/4" thick.
- Cylinder x cylinder function is available.
- Rabbeted strikes and face plates are available.
- Extended lip strikes are available.


		STYLE							
FUNCTION DESCRIPTION	TYPE - FUNCTION	EXTERIOR				INTERIOR			
		LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
ENTRY	MTKL-EN			CYL	NA				NA
STOREROOM	MTKL-ST			CYL	NA			NA	NA
PATIO	MTKL-PT			NA	NA				NA
FULL DUMMY	MTKL-FD			NA	NA			NA	NA

MORTISE ESCUTCHEON SETS

Exterior	Interior	Description	
		ME-EN	ENTRY SET
		Exterior trim:	Escutcheon, active knob or lever, mortise cylinder Optional cylinder swing cover
		Interior trim:	Escutcheon, active knob or lever, thumb turn Optional cylinder x cylinder function available.
		Mortise Lock:	48 - standard backsets: 2-1/2" or 2-3/4"
		ME-ST	STOREROOM SET
		Exterior trim:	Escutcheon, fixed knob or lever, mortise cylinder Optional cylinder swing cover
		Interior trim:	Escutcheon, active knob or lever
		Mortise Lock:	59 - standard backsets: 2-1/2" or 2-3/4"
		ME-PR	PRIVACY SET
		Exterior trim:	Escutcheon, knob or lever, emergency egress
		Interior trim:	Escutcheon, active knob or lever, thumb turn
		Mortise Lock:	39 - standard backsets: 2-1/2" or 2-3/4"
		ME-PT	PATIO SET
		Exterior trim:	Escutcheon, active knob or lever
		Interior trim:	Escutcheon, active knob or lever, thumb turn
		Mortise Lock:	39 - standard backsets: 2-1/2" or 2-3/4"
		ME-PS	PASSAGE SET
		Exterior trim:	Escutcheon, active knob or lever
		Interior trim:	Escutcheon, active knob or lever
		Mortise Lock:	25 - standard backsets: 2-1/2" or 2-3/4"
		ME-FD	FULL DUMMY SET
		Exterior trim:	Escutcheon, fixed knob or lever
		Interior trim:	Escutcheon, fixed knob or lever
		ME-HD	HALF DUMMY
		Exterior trim:	Escutcheon, fixed knob or lever
		Interior trim:	Escutcheon, pre-bored doors only

MORTISE ESCUTCHEON COMPONENTS










9000 | 9100 LOCK TYPICAL




- Surface mount screws standard on escutcheons. Through bolts available upon request.
- 9100 series lock standard. 9000 series lock used on doors under 1-3/4" thick.
- Cylinder x cylinder function is available.
- Rabbeted strikes and face plates are available.
- Extended lip strikes are available.

FUNCTION DESCRIPTION	TYPE - FUNCTION	STYLE							
		EXTERIOR				INTERIOR			
		LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
ENTRY	ME-EN			CYL	NA				NA
STOREROOM	ME-ST			CYL	NA			NA	NA
PRIVACY	ME-PR				NA				NA
PATIO	ME-PT			NA	NA				NA
PASSAGE	ME-PS			NA	NA			NA	NA
FULL DUMMY	ME-FD			NA	NA			NA	NA
HALF DUMMY	ME-HD			NA	NA	NA	NA	NA	NA

MORTISE ESCUTCHEON SETS

Exterior	Interior	Description
		ME-PR PRIVACY SET Exterior trim: Escutcheon, knob or lever, emergency egress button Interior trim: Escutcheon, knob or lever, thumb turn Mortise Lock: 39 - Backsets: 2-1/2" or 2-3/4"
		ME-PT PATIO SET Exterior trim: Escutcheon, knob or lever Interior trim: Escutcheon, knob or lever, thumb turn Mortise Lock: 39 - Backsets: 2-1/2" or 2-3/4"
		ME-PS PASSAGE SET Exterior trim: Escutcheon, knob or lever Interior trim: Escutcheon, knob or lever Mortise Lock: 25 - Backsets: 2-1/2" or 2-3/4"
		ME-FD FULL DUMMY SET Exterior trim: Escutcheon, fixed knob or lever Interior trim: Escutcheon, fixed knob or lever
		ME-HD HALF DUMMY Exterior trim: Escutcheon, fixed knob or lever

MORTISE ESCUTCHEON COMPONENTS 9800 LOCK TYPICAL




- Surface mount screws standard on escutcheons. Through bolts available upon request.
- 9800 series lock, knob | lever high - standard.
- Lever or knob high is standard, with 2-7/8" spacing to thumb turn.
- Extended lip strikes are available.

FUNCTION DESCRIPTION		STYLE							
		EXTERIOR				INTERIOR			
		LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
PRIVACY	ME-PR				NA				NA
PATIO	ME-PT			NA	NA				NA
PASSAGE	ME-PS			NA	NA			NA	NA
FULL DUMMY	ME-FD			NA	NA			NA	NA
HALF DUMMY	ME-HD			NA	NA	NA	NA	NA	NA

MORTISE SECTIONAL SETS

Exterior	Interior	Description
		<div><div>MS-EN</div><div>Exterior trim:</div><div>Interior trim:</div><div>Mortise Lock:</div></div> <div><div>ENTRY SET</div><div>Knob or lever, rosette, mortise cylinder trim plate and cylinder</div><div>Knob or lever, rosette, thumb turn and trim plate</div><div>Optional interior cylinder trim plate and cylinder</div><div>48 - Standard backsets: 2-1/2" or 2-3/4"</div></div>
		<div><div>MS-ST</div><div>Exterior trim:</div><div>Interior trim:</div><div>Mortise Lock:</div></div> <div><div>STOREROOM SET</div><div>Knob or lever, rosette, mortise cylinder trim plate and cylinder</div><div>Knob or lever and rosette</div><div>59 - standard backsets: 2-1/2" or 2-3/4"</div></div>
		<div><div>MS-PR</div><div>Exterior trim:</div><div>Interior trim:</div><div>Mortise Lock:</div></div> <div><div>PRIVACY SET</div><div>Knob or lever, rosette, emergency egress trim plate and button</div><div>Knob or lever, rosette, thumb turn and trim plate</div><div>39 - Standard backsets: 2-1/2" or 2-3/4"</div></div>
		<div><div>MS-PT</div><div>Exterior trim:</div><div>Interior trim:</div><div>Mortise Lock:</div></div> <div><div>PATIO SET</div><div>Knob or lever, rosette</div><div>Knob or lever, rosette, thumb turn and trim plate</div><div>39 - Standard backsets: 2-1/2" or 2-3/4"</div></div>
		<div><div>MS-PS</div><div>Exterior trim:</div><div>Interior trim:</div><div>Mortise Lock:</div></div> <div><div>PASSAGE SET</div><div>Knob or lever, rosette</div><div>Knob or lever, rosette</div><div>25 - Backsets: 2-1/2" or 2-3/4"</div></div>
		<div><div>MS-FD</div><div>Exterior trim:</div><div>Interior trim:</div></div> <div><div>FULL DUMMY SET</div><div>Fixed knob or lever, rosette</div><div>Fixed knob or lever, rosette</div></div>
		<div><div>MS-HD</div><div>Exterior trim:</div><div>Interior trim:</div></div> <div><div>HALF DUMMY SET</div><div>Fixed knob or lever, rosette</div><div>Rosette on pre-bored door only</div></div>

MORTISE SECTIONAL COMPONENTS



- 9100 series lock standard for entry, storeroom, and patio applications. 9000 series lock used on doors under 1-3/4" thick.
- 9800 series lock standard for privacy and passage applications.
- Cylinder x cylinder function is available.
- Rabbeted strikes and face plates are available.
- Extended lip strikes are available.

FUNCTION DESCRIPTION	TYPE - FUNCTION	STYLE							
		EXTERIOR				INTERIOR			
		LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
ENTRY	MS-EN			CYL					
STOREROOM	MS-ST			CYL				NA	NA
PRIVACY	MS-PR								
PATIO	MS-PT			NA	NA				
PASSAGE	MS-PS			NA	NA			NA	NA
FULL DUMMY	MS-FD			NA	NA			NA	NA
HALF DUMMY	MS-HD			NA	NA	NA	NA	NA	NA


TUBULAR THUMBPIECE X KNOB OR LEVER SETS

Exterior	Interior	Description
		TTKL-EN ENTRY SET Exterior trim: Escutcheon, knob or lever, thumbpiece, auxiliary deadbolt collar and cylinder Interior trim: Escutcheon, knob or lever, thumb turn, bolt cover Optional key x key cylinder Latch: 2-3/8" or 2-3/4" backset Deadbolt: 2-3/8" or 2-3/4" backset
		TTKL-PT PATIO SET Exterior trim: Escutcheon, entry handle, thumbpiece Interior trim: Escutcheon, knob or lever, thumb turn, bolt cover Latch: 2-3/8" or 2-3/4" backset Deadbolt: 2-3/8" or 2-3/4" backset
		TTKL-FD FULL DUMMY SET Exterior trim: Escutcheon, entry handle, dummy thumbpiece Interior trim: Escutcheon, knob or lever

TUBULAR THUMBPIECE X KNOB OR LEVER COMPONENTS

EXTERIOR




INTERIOR




- Not available for doors under 1-3/4" thick. Special door preparation is required to install this hardware.
- Standard latch to deadbolt spacing is 3-5/8". Please specify 5-1/2" or custom spacing.
- Deadbolts are provided with re-enforced sub strike plate for added security.
- T-Strike or full lip strike plates are available for tubular latches.
- Extended lip strikes are available upon request.

		STYLE							
FUNCTION DESCRIPTION	TYPE - FUNCTION	EXTERIOR				INTERIOR			
		LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
ENTRY	TTKL-EN			CYL	NA				NA
PATIO	TTKL-PT			NA	NA				NA
FULL DUMMY	TTKL-FD			NA	NA			NA	NA

TUBULAR ESCUTCHEON SETS

Exterior	Interior	Description
		TE-EN ENTRY SET Exterior trim: Escutcheon, knob or lever, auxiliary deadbolt collar and cylinder Interior trim: Escutcheon, knob or lever, auxiliary deadbolt trim with thumb turn Optional key x key cylinder Latch: 2-3/8" or 2-3/4" backset Deadbolt: 2-3/8" or 2-3/4" backset
		TE-PT PATIO SET Exterior trim: Escutcheon, knob or lever Interior trim: Escutcheon, knob or lever, thumb turn Latch: 2-3/8" or 2-3/4" backset Deadbolt: 2-3/8" or 2-3/4" backset
		TE-PR PRIVACY SET Exterior trim: Escutcheon, knob or lever, emergency egress button Interior trim: Escutcheon, knob or lever, thumb turn Latch: 2-3/8" or 2-3/4" backset Mortise bolt: 2-3/8" or 2-3/4" backset
		TE-PS PASSAGE SET Exterior trim: Escutcheon, knob or lever Interior trim: Escutcheon, knob or lever Latch: 2-3/8" or 2-3/4" backset
		TE-FD FULL DUMMY SET Exterior trim: Escutcheon, fixed knob or lever Interior trim: Escutcheon, fixed knob or lever
		TE-HD HALF DUMMY Trim: Escutcheon, fixed knob or lever







TUBULAR ESCUTCHEON COMPONENTS




- Surface mount screws standard on escutcheons. Through bolts available upon request.
- Standard latch to deadbolt spacing is 3-5/8". Please specify 5-1/2" or custom spacing.
- Standard latch to mortise bolt spacing is 2-3/4".
- Deadbolts are provided with re-enforced sub-strike plate for added security.
- T-Strike or full lip strike plates are available for tubular latches.
- Extended lip strikes are available upon request.

FUNCTION DESCRIPTION	TYPE - FUNCTION	STYLE							
		EXTERIOR				INTERIOR			
		LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
ENTRY	TE-EN			CYL	NA				NA
PATIO	TE-PT			NA	NA				NA
PRIVACY	TE-PR				NA				NA
PASSAGE	TE-PS			NA	NA			NA	NA
FULL DUMMY	TE-FD			NA	NA			NA	NA
HALF DUMMY	TE-HD			NA	NA	NA	NA	NA	NA

TUBULAR ESCUTCHEON SETS

Exterior	Interior	Description
		TE-PR PRIVACY SET
		<p>Exterior trim: Escutcheon, knob or lever, emergency egress button</p> <p>Interior trim: Escutcheon, knob or lever, thumb turn</p> <p>Latch: 2-3/8" or 2-3/4" backset</p> <p>Mortise bolt: 2-3/8" or 2-3/4" backset</p>
		TE-PT PATIO SET
		<p>Exterior trim: Escutcheon, knob or lever</p> <p>Interior trim: Escutcheon, knob or lever, thumb turn</p> <p>Latch: 2-3/8" or 2-3/4" backset</p> <p>Mortise bolt: 2-3/8" or 2-3/4" backset</p>
		TE-PS PASSAGE SET
		<p>Exterior trim: Escutcheon, knob or lever</p> <p>Interior trim: Escutcheon, knob or lever</p> <p>Latch: 2-3/8" or 2-3/4" backset</p>
		TE-FD FULL DUMMY SET
		<p>Exterior trim: Escutcheon, fixed knob or lever</p> <p>Interior trim: Escutcheon, fixed knob or lever</p>
		TE-HD HALF DUMMY
		Trim: Escutcheon, fixed knob or lever

TUBULAR ESCUTCHEON COMPONENTS




- Surface mount screws standard on escutcheons.
- Knob or lever high is standard. Specify if knob or lever low is desired.
- Standard latch to mortise bolt spacing is 2-3/4".
- T-Strike or full lip strike plates are available for tubular latches.
- Extended lip strikes are available upon request.

FUNCTION DESCRIPTION		STYLE							
		EXTERIOR				INTERIOR			
		LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
PRIVACY	TE-PR				NA				NA
PATIO	TE-PT			NA	NA				NA
PASSAGE	TE-PS			NA	NA			NA	NA
FULL DUMMY	TE-FD			NA	NA			NA	NA
HALF DUMMY	TE-HD			NA	NA	NA	NA	NA	NA

TUBULAR SECTIONAL SETS

Exterior	Interior	Description	
		TS-EN	ENTRY SET
		Exterior trim:	Rosette, knob or lever, auxiliary deadbolt collar and cylinder
		Interior trim:	Rosette, knob or lever, trim plate, auxiliary deadbolt trim with thumb turn
		Latch:	2-3/8" or 2-3/4" backset
		Deadbolt:	2-3/8" or 2-3/4" backset
		TS-PR	PRIVACY SET
		Exterior trim:	Rosette, knob or lever, trim plate, emergency egress button
		Interior trim:	Rosette, knob or lever, trim plate, thumb turn
		Latch:	2-3/8" or 2-3/4" backset
		Mortise bolt:	2-3/8" or 2-3/4" backset
		TS-PT	PATIO SET
		Exterior trim:	Rosette, knob or lever
		Interior trim:	Rosette, knob or lever, trim plate, thumb turn
		Latch:	2-3/8" or 2-3/4" backset
		Mortise bolt:	2-3/8" or 2-3/4" backset
		TS-PU	PUSH PIN PRIVACY SET
		Exterior trim:	Privacy rosette, knob or lever
		Interior trim:	Privacy rosette, knob or lever, privacy pin
		Privacy latch:	2-3/8" or 2-3/4" backset
		TS-PS	PASSAGE SET
		Exterior trim:	Rosette, knob or lever
		Interior trim:	Rosette, knob or lever
		Latch:	2-3/8" or 2-3/4" backset
		TS-FD	FULL DUMMY SET
		Exterior trim:	Rosette, fixed knob or lever
		Interior trim:	Rosette, fixed knob or lever
		TS-HD	HALF DUMMY
		Trim:	Rosette, fixed knob or lever












TUBULAR SECTIONAL COMPONENTS




- Large rosettes and collars required for pre-bored doors.
- Spring assists available upon request. Not available with all trim sizes.
- Deadbolts are provided with re-enforced sub strike plate for added security.
- T-Strike and full lip strike plates are available for tubular latches.
- Extended lip strikes are available upon request.

FUNCTION DESCRIPTION	TYPE - FUNCTION	STYLE							
		EXTERIOR				INTERIOR			
		LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
ENTRY	TS-EN			CYL					
PRIVACY	TS-PR								
PATIO	TS-PT			NA	NA				
PUSH PIN PRIVACY	TS-PU			NA	NA			NA	NA
PASSAGE	TS-PS			NA	NA			NA	NA
FULL DUMMY	TS-FD			NA	NA			NA	NA
HALF DUMMY	TS-HD			NA	NA	NA	NA	NA	NA

DEADLOCK, DEADBOLT & MORTISE BOLT SETS

Exterior	Interior	Description
		MDL-EN MORTISE DEADLOCK - ENTRY SET Exterior trim: Mortise cylinder with collar Interior trim: Trim plate with thumb turn 7200: 2-1/2" or 2-3/4" backset 9500: 2-1/2", 2-3/4", 3-3/4", 5", or 6" backset
		MDL-ST MORTISE DEADLOCK - STOREROOM SET Exterior trim: Mortise cylinder with collar Interior trim: - 7200: 2-1/2" or 2-3/4" backset 9500: 2-1/2", 2-3/4", 3-3/4", 5", or 6" backset
		MDL-PR MORTISE DEADLOCK - PRIVACY SET Exterior trim: Trim plate with emergency egress Interior trim: Trim plate with thumb turn 7200: 2-1/2" or 2-3/4" backset 9500: 2-1/2", 2-3/4", 3-3/4", 5", or 6" backset
		MDL-PT MORTISE DEADLOCK - PATIO SET Exterior trim: - Interior trim: Trim plate with thumb turn 7200: 2-1/2" or 2-3/4" backset 9500: 2-1/2", 2-3/4", 3-3/4", 5", or 6" backset
		TDB-EN TUBULAR DEADBOLT - ENTRY SET Exterior trim: Deadbolt cylinder with collar Interior trim: Deadbolt trim plate with thumb turn and collar Deadbolt: 2-3/8" or 2-3/4" backset
		TMB-PR TUBULAR MORTISE BOLT - PRIVACY SET Exterior trim: Trim plate with emergency egress Interior trim: Trim plate with thumb turn Mortise bolt: 2-3/8" or 2-3/4" backset
		TMB-PT TUBULAR MORTISE BOLT - PATIO SET Exterior trim: - Interior trim: Trim plate with thumb turn Mortise bolt: 2-3/8" or 2-3/4" backset













DEADLOCK, DEADBOLT & MORTISE BOLT COMPONENTS




- Deadlocks, tubular deadbolt and mortise bolt sets are installed on doors for additional security and they function independently from any latches or other locks found in the door.
- Cylinder x cylinder function is available on mortise deadlock and tubular deadbolt sets.
- All sets come with face plates, strike plates, dust boxes, and mounting screws.
- Tubular deadbolts are provided with re-enforced sub strike plate for added security.

FUNCTION DESCRIPTION	TYPE - FUNCTION	STYLE							
		EXTERIOR				INTERIOR			
		LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
MORTISE DEADLOCK ENTRY	MDL-EN	NA	NA	CYL		NA	NA		
MORTISE DEADLOCK STOREROOM	MDL-ST	NA	NA	CYL		NA	NA	NA	NA
MORTISE DEADLOCK PRIVACY	MDL-PR	NA	NA			NA	NA		
MORTISE DEADLOCK PATIO	MDL-PT	NA	NA	NA	NA	NA	NA		
TUBULAR DEADBOLT ENTRY	TDB-EN	NA	NA			NA	NA		
TUBULAR MORTISE BOLT PRIVACY	TMB-PR	NA	NA			NA	NA		
TUBULAR MORTISE BOLT PATIO	TMB-PT	NA	NA	NA	NA	NA	NA		

ESCUTCHEON PROFILE MULTIPOINT FUNCTIONS

Exterior	Interior	Description
		EPMP-EN ENTRY SET
		Exterior trim: Escutcheon, lever, profile cylinder
		Interior trim: Escutcheon, lever, thumb turn on cylinder
		Lock: Provided by door manufacturer. Spacing and backset TBD
		EPMP-PT PATIO SET
		Exterior trim: Escutcheon, lever
		Interior trim: Escutcheon, lever, thumb turn on cylinder
		Lock: Provided by door manufacturer. Spacing and backset TBD
		EPMP-PS PASSAGE SET
		Exterior trim: Escutcheon, lever
		Interior trim: Escutcheon, lever
		Lock: Provided by door manufacturer. Spacing and backset TBD
		EPMP-AD ACTIVE DUMMY SET
		Exterior trim: Escutcheon, fixed lever
		Interior trim: Escutcheon, lever
		Lock: Provided by door manufacturer. Spacing and backset TBD
		EPMP-FD FULL DUMMY SET
		Exterior trim: Escutcheon, fixed lever
		Interior trim: Escutcheon, fixed lever
		EPMP-HD HALF DUMMY SET
		Interior trim: Escutcheon, fixed lever

ESCUTCHEON PROFILE MULTIPOINT COMPONENTS




- Levers are required for multipoint functions.
- Through bolts are standard.
- Spring assist is standard on all multipoint orders. Special door preparation will be required.
- The lock body is supplied by the door manufacturer - to order, you must fill out a multipoint check sheet with all door and lock specifications. See section **FS - Forms & Supplements**
- Offset and split finish profile cylinders are available - upcharges apply.

		STYLE							
		EXTERIOR				INTERIOR			
FUNCTION DESCRIPTION	TYPE - FUNCTION	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
ENTRY	EPMP-EN			CYL	NA				NA
PATIO	EPMP-PT			NA	NA				NA
PASSAGE	EPMP-PS			NA	NA			NA	NA
ACTIVE DUMMY	EPMP-AD			NA	NA			NA	NA
FULL DUMMY	EPMP-FD			NA	NA			NA	NA
HALF DUMMY	EPMP-HD	NA	NA	NA	NA			NA	NA

SECTIONAL EUROPEAN PROFILE MULTIPOINT

Exterior Interior



SPMP-EN

Exterior trim:

Interior trim:


Lock:

ENTRANCE SET

Rosette, lever, cylinder collar and profile cylinder

Rosette, lever, cylinder collar and thumb turn on cylinder

Provided by door manufacturer. Spacing and backset TBD



SPMP-PT

Exterior trim:

Interior trim:

Lock:

PATIO SET

Rosette, and lever

Rosette, lever, cylinder collar and thumb turn on cylinder

Provided by door manufacturer. Spacing and backset TBD



SPMP-AD

Exterior trim:

Interior trim:

Latch:

ACTIVE DUMMY SET

Rosette, and fixed lever

Rosette, and active lever

Provided by door manufacturer. Spacing and backset TBD



SPMP-FD

Exterior trim:

Interior trim:


FULL DUMMY SET

Rosette, and fixed lever

Rosette and fixed lever

Typical on double door sets












SECTIONAL EUROPEAN PROFILE MULTIPOINT COMPONENTS




- Levers are required for multipoint functions.
- Spring assist is standard on all multipoint orders. Special door preparation will be required.
- The lock body is supplied by the door manufacturer - to order, you must fill out a multipoint check sheet with all door and lock specifications. See section **FS - Forms & Supplements**
- Offset and split finish profile cylinders are available - upcharges apply.

		STYLE							
		EXTERIOR				INTERIOR			
FUNCTION DESCRIPTION	TYPE - FUNCTION	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
ENTRY	SPMP-EN			CYL					
PATIO	SPMP-PT			NA	NA				
ACTIVE DUMMY	SPMP-AD			NA	NA			NA	NA
FULL DUMMY	SPMP-FD			NA	NA			NA	NA

ESCUTCHEON AMERICAN MULTIPOINT SETS

Exterior	Interior	Description
		EAMP-EN ENTRY SET
		<p>Exterior trim: Escutcheon, lever, cylinder collar, cylinder</p> <p>Interior trim: Escutcheon, lever, thumb turn</p> <p>Lock: Provided by door manufacturer. Spacing and backset TBD</p>
		EAMP-PT PATIO SET
		<p>Exterior trim: Escutcheon, lever</p> <p>Interior trim: Escutcheon, lever, thumb turn</p> <p>Lock: Provided by door manufacturer. Spacing and backset TBD</p>
		EAMP-PS PASSAGE SET
		<p>Exterior trim: Escutcheon, lever</p> <p>Interior trim: Escutcheon, lever, thumb turn</p> <p>Lock: Provided by door manufacturer. Spacing and backset TBD</p>
		EAMP-AD ACTIVE DUMMY SET
		<p>Exterior trim: Escutcheon, fixed lever</p> <p>Interior trim: Escutcheon, lever</p> <p>Lock: Provided by door manufacturer. Spacing and backset TBD</p>
		EAMP-FD FULL DUMMY SET
		<p>Exterior trim: Escutcheon, fixed lever</p> <p>Interior trim: Escutcheon, fixed lever</p> <p>Spacing and backset TBD</p>
		EAMP-HD HALF DUMMY
		<p>Interior trim: Escutcheon, fixed lever</p> <p>Spacing and backset TBD</p>

ESCUTCHEON AMERICAN MULTIPOINT COMPONENTS




- Levers are required for multipoint functions.
- Through bolts are standard.
- Spring assist is standard on all multipoint orders. Special door preparation will be required.
- The lock body is supplied by the door manufacturer - to order, you must fill out a multipoint check sheet with all door and lock specifications. See section **FS - Forms & Supplements**

		STYLE							
		EXTERIOR				INTERIOR			
FUNCTION DESCRIPTION	TYPE - FUNCTION	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
ENTRY	EAMP-EN			CYL	NA				NA
PATIO	EAMP-PT			NA	NA				NA
PASSAGE	EAMP-PS			NA	NA			NA	NA
ACTIVE DUMMY	EAMP-AD			NA	NA			NA	NA
FULL DUMMY	EAMP-FD			NA	NA			NA	NA
HALF DUMMY	EAMP-HD	NA	NA	NA	NA			NA	NA

FLUSH PULL SETS

Exterior	Interior	Description	
		FP-EN	ENTRY SET
		Exterior trim:	Flush pull, mortise cylinder
		Interior trim:	Flush pull, low profile thumb turn
		Mortise Lock:	2002 with edge pull - standard backsets: 2-1/2" or 2-3/4" 2001 available - no edge pull
		FP-PR	PRIVACY SET
		Exterior trim:	Flush pull, emergency egress button
		Interior trim:	Flush pull, low profile thumb turn
		Mortise Lock:	2002 with edge pull - standard backsets: 2-1/2" or 2-3/4" 2001 available - no edge pull
		FP-PT	PATIO SET
		Exterior trim:	Flush pull
		Interior trim:	Flush pull, low profile thumb turn
		Mortise Lock:	2002 with edge pull - standard backsets: 2-1/2" or 2-3/4" 2001 available - no edge pull
		FP-SS	STRIKE SET
		Exterior trim:	Flush pull
		Interior trim:	Flush pull
		Mortise Lock:	2002 with edge pull and strike Used on double door entry, privacy or patio sets.
		FP-PS	PASSAGE SET
		Exterior trim:	Flush pull
		Interior trim:	Flush pull
		Mortise Lock:	2000 edge pull
		FP-FD	FULL DUMMY SET
		Exterior trim:	Flush pull
		Interior trim:	Flush pull
		FP-HD	HALF DUMMY SET
		Trim:	Flush pull - surface mount only




FLUSH PULL COMPONENTS




- Entry function not available on doors less than 1-3/4" thick.
- Through bolting standard on large flush pulls, optional on medium flush pulls.
- Small flush pulls - surface mount only. Mortise locks not used with small pulls.
- Custom jamb liners available.

		STYLE							
		EXTERIOR				INTERIOR			
FUNCTION DESCRIPTION	TYPE - FUNCTION	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
ENTRY	FP-EN	NA		CYL	NA	NA			NA
PRIVACY	FP-PR	NA			NA	NA			NA
PATIO	FP-PT	NA		NA	NA	NA			NA
STRIKE SET	FP-SS	NA		NA	NA	NA		NA	NA
PASSAGE WITH EDGE PULLS	FP-PS	NA		NA	NA	NA		NA	NA
FULL DUMMY	FP-FD	NA		NA	NA	NA		NA	NA
HALF DUMMY	FP-HD	NA		NA	NA	NA	NA	NA	NA

PUSH PLATES

Exterior	Interior	Description	
		PU-FD	PUSH PLATE FULL DUMMY SET
		Exterior trim:	Escutcheon, surface mount standard
		Interior trim:	Escutcheon, surface mount standard
			Through bolts available - specify when ordering
		PU-HD	PUSH PLATE
		Trim:	Escutcheon, surface mounted


PUSH PLATE COMPONENTS



- Surface mount screws are standard. Through bolts by request on sets only.
- Single push and pull plates available - surface mount only.

		STYLE							
		EXTERIOR				INTERIOR			
FUNCTION DESCRIPTION	TYPE - FUNCTION	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
PUSH PLATE SET	PU-FD	NA		NA	NA	NA		NA	NA
PUSH PLATE	PU-HD	NA		NA	NA	NA	NA	NA	NA

SCREEN DOOR HARDWARE


Exterior	Interior	Description
<hr/>		
	ESD-PT	PATIO SET
	Exterior trim: Interior trim: Mortise Lock: Tubular Latch: Mortise bolt:	Escutcheon, knob or lever Escutcheon, knob or lever, thumb turn 39 - Backsets: 2-1/2" or 2-3/4" 2-3/8" or 2-3/4" backset 2-3/8" or 2-3/4" backset
<hr/>		
	ESD-PS	PASSAGE SET
	Exterior trim: Interior trim: Mortise Lock: Tubular Latch:	Escutcheon , knob or lever Escutcheon, knob or lever 25 - Backsets: 2-1/2" or 2-3/4" 2-3/8" or 2-3/4" backset
<hr/>		
	SSD-PT	SECTIONAL PATIO SET
	Exterior trim: Interior trim: Mortise Lock: Tubular Latch: Mortise bolt:	Rosette, knob or lever Rosette, knob or lever, trim plate, thumb turn 39 - Backsets: 2-1/2" or 2-3/4" 2-3/8" or 2-3/4" backset 2-3/8" or 2-3/4" backset
<hr/>		
	SSD-PS	SECTIONAL PASSAGE SET
	Exterior trim: Interior trim: Mortise Lock: Tubular Latch:	Rosette, knob or lever Rosette, knob or lever 25 - Backsets: 2-1/2" or 2-3/4" 2-3/8" or 2-3/4" backset

SCREEN DOOR COMPONENTS


EXTERIOR

INTERIOR

ESCUTCHEON TRIM







SECTIONAL TRIM



- Surface mount screws are standard on escutcheon.
- Confirm clearance of door surfaces before ordering.
- Escutcheons or sectional trim available.


		STYLE							
		EXTERIOR				INTERIOR			
FUNCTION DESCRIPTION	TYPE - FUNCTION	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
PATIO	ESD-PT			NA	NA				NA
PASSAGE	ESD-PS			NA	NA			NA	NA
PATIO	SSD-PT			NA					
PASSAGE	SSD-PS			NA	NA			NA	NA

WINDOW TRIM


RH	LH	Description	
		WT-CS	CASEMENT TRIM
		Handle:	Offset lever
		Trim:	Surface mounted lever base and lever catch
		WT-MP	MULTIPOINT TRIM
		Handle:	Window lever
		Trim:	Multipoint trim plate
			A lever detent mechanism can be equipped with this trim

WINDOW TRIM COMPONENTS

CASEMENT WINDOW TRIM W/ OFFSET LEVERS



MULTIPOINT WINDOW TRIM



- Window trim is handed from the exterior side of the window.
- Multipoint trim is available with or without a lever detent mechanism.
- Trim plates in a limited range of styles available. Size parameters are determined by window stile width and depth. Inquire at time of order.

FUNCTION DESCRIPTION	TYPE - FUNCTION	STYLE							
		EXTERIOR				INTERIOR			
		LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	CYLINDER E.E.	TRIM	LEVER - KNOB HANDLE	ESCUTCHEON ROSETTE	THUMB TURN CYLINDER	TRIM
CASEMENT	WT-CS	NA	NA	NA	NA		NA	NA	
MULTIPOINT	WT-MP	NA	NA	NA	NA			NA	NA

STANDARD FINISHES



PS*
Polished Silver



PN*
Polished Nickel



PC*
Polished Chrome



AS*
Antique Silver



SS*
Satin Silver



SN
Satin Nickel



SC*
Satin Chrome



WN
Weathered Nickel



WAN
Weathered
Antique Nickel



AN
Antique Nickel



BN*
Burnished Nickel



BNAN*
Burnished
Antique Nickel



WP
Weathered Pewter



AP
Antique Pewter



PB
Polished Brass



PBNL*
Polished Brass
No Lacquer



PA
Polished Antique



TN*
Tarnished



BNB
Burnished Brass




BNAB*
Burnished
Antique Brass



SB
Satin Brass



SBNL*
Satin Brass
No Lacquer



AB
Antique Brass



BNBW*
Burnished Brass
Waxed



WB
Weathered Brass



WZ
Weathered Bronze




PCU*
Polished Copper



SCU
Satin Copper



WC
Weathered Copper



AC*
Antique Copper



BARC
Barcelona



RB*
Relieved Bronze



ORB
Oil Rubbed Bronze



MB
Matte Black

* Designates an uncoated or waxed finish.
All finishes are available uncoated, waxed or lacquered upon request.

FINISH GUIDE

This brief overview of available finishes for our hardware will discuss the properties, characteristics, and the care and maintenance for each. Some parts are tarnished to accelerate the aging process, some are provided in an untreated state, and others have protective coatings applied. Depending on your taste and style, a naturally aging (living finish) can be a rich addition to your project or you may desire something that will remain relatively constant over time. In many cases the patina of a part is considered highly desirable and should not be looked upon as a bad development.

When choosing a finish, it is advisable to consider the environment and conditions where your hardware will be used and seen. Hopefully this guide will aid you in choosing the best finish for your application. It should be stated that all finishes can and will change over time. Factors like humidity, exposure to weather or ultraviolet (UV) light, and frequency of use (traffic) will all play a role in how your hardware will change. It is for this reason that Water Street Brass does not guarantee finishes.

In this guide, we will present each of our standard finishes along with an **Aging Factor** number assigned to it. This number will give you an idea of how your hardware finish holds up to general use and how quickly it is expected to change. Finishes will be rated as follows:

- 1 **Low** - expect tarnishing and a patina to develop shortly after installation.
- 2 **Moderate** - general use and weather conditions may cause changes in a years' time or less.
- 3 **Medium** - little change in the finish will occur for an extended period of time.
- 4 **High** - under normal circumstance changes will be hardly noticed for a long period time.
- 5 **Very High** - little to no significant changes should be noticed throughout the life of the finish.

TERMINOLOGY

- **Aging Factor** - a scale that is used to measure how quickly a finish will change over time as a result of use, atmospheric conditions such as humidity, pollution and other factors.
 - **Burnish** - the process of lightly etching a part to produce a look of old but well taken care of hardware.
 - **Highlighting** - the process wherein skilled technicians manually enhance already finished parts to raise either the base color or the core material color.
 - **Lacquer** - a coating applied onto hardware which forms a hard protective coating. Lacquer is difficult to remove and redress in the field.
 - **Oxidizing** - the process of introducing brass to a chemical agent to speed up the natural tarnishing or coloring process.
 - **Patina** - a color developed on the surface of a part over time by oxidation. Often green on copper, brown on brass and bronze, gray or black on silver finishes.
 - **Plating** - the process of permanently adhering a thin but durable coating of an alternate metal directly to the surface of the hardware. Parts are submerged into an electrically charged chemical bath. As the electrons flow through this solution molecules of the new metal are deposited and fused onto the brass host.
 - **Tarnish** - the natural aging of metals through exposure to humidity in the air, moisture and even the natural hand oils deposited on hardware through use.
 - **Wax** - any of a number of natural, semisolid protective agents applied to enhance the luster of a material and provide protection against water and dirt. Waxes will erode with use and age and should be considered a temporary protection.
 - **Weathered** - the purposeful exposure of hardware to scratching or denting agents to create an old feel and appearance.
-

UNCOATED FINISHES

Uncoated finishes change over time depending on factors like humidity, salinity, and general use. Also known as “Living Finish,” these finishes are not warrantied for discoloration and change.



PBNL POLISHED BRASS, NO LACQUER

AGING FACTOR: 1

Will begin to naturally darken within the first month of installation and will continue over time with a beautiful brown patina.

Remove dirt and oils with soap and soft damp cloth. Apply a wax to preserve and restore a high polish appearance.

Interior / exterior.



SBNL SATIN BRASS, NO LACQUER

AGING FACTOR: 1

Will begin to naturally darken within the first month of installation and will continue over time with a beautiful brown patina.

Remove dirt and oils with soap and soft cloth. Apply wax to preserve.

Interior / exterior.



PN POLISHED NICKEL

AGING FACTOR: 3

Nickel is a fairly tarnish resistant material. It can be dressed in the field

Remove dirt and oils with soap and soft cloth.

Interior / exterior.



BN BURNISHED NICKEL

AGING FACTOR: 3

Nickel is a fairly tarnish resistant material. It can be dressed in the field

Remove dirt and oils with soap and soft cloth.

Interior / exterior.



PC POLISHED CHROME

AGING FACTOR: 4

Chrome is a very durable finish and will remain constant for a long period of time.

Remove dirt and oils with soap and soft cloth.

Interior / exterior.



SC SATIN CHROME

AGING FACTOR: 4

Chrome is a very durable finish and will remain constant for a long period of time.

Remove dirt and oils with soap and soft cloth.

Interior / exterior.

WAXED FINISHES

Hardware provided with a waxed finish is intended to age gracefully. Our fine silver finishes fall in this category. You may choose to keep them highly polished as you might with dinnerware or you may prefer the warmth and character that comes with the natural patina.



PS

POLISHED SILVER

AGING FACTOR: 1

Real silver is very susceptible to tarnishing and will begin to age very quickly. Silver will darken over time with a gray or black patina.

Remove dirt and oils with soap and soft damp cloth. Apply a wax to preserve and restore a high polish appearance.

Interior applications - not recommended for exterior as weather will break down the plating.



AS

ANTIQUE SILVER

AGING FACTOR: 1

Real silver is very susceptible to tarnishing and will begin to age very quickly. Silver will darken over time with a gray or black patina.

Remove dirt and oils with soap and soft damp cloth. Apply wax to preserve the appearance.

Interior applications - not recommended for exterior as weather will break down the plating.



SS

SATIN SILVER

AGING FACTOR: 2

Real silver is very susceptible to tarnishing and will begin to age very quickly. Silver will darken over time with a gray or black patina.

Remove dirt and oils with soap and soft damp cloth. Apply wax to preserve the appearance.

Interior applications - not recommended for exterior as weather will break down the plating.



BNAN

BURNISHED ANTIQUE NICKEL

AGING FACTOR: 2

Nickel is a fairly tarnish resistant material. It can be dressed in the field

Remove dirt and oils with soap and soft cloth. Apply wax to preserve.

Interior / exterior.



TN

TARNISHED

AGING FACTOR: 1

Will begin to naturally darken within the first month of installation and will continue over time with a beautiful brown patina.

Remove dirt and oils with soap and soft damp cloth. Apply a wax to preserve appearance.

Interior / exterior.



BNAB

BURNISHED ANTIQUE BRASS

AGING FACTOR: 1

Will begin to naturally darken within the first month of installation and will continue over time with a beautiful brown patina.

Remove dirt and oils with soap and soft damp cloth. Apply a wax to preserve appearance.

Interior / exterior.



BNBW

BURNISHED BRASS WAXED

AGING FACTOR: 1

Will begin to naturally darken within the first month of installation and will continue over time with a beautiful brown patina.

Remove dirt and oils with soap and soft damp cloth. Apply a wax to preserve appearance.

Interior / exterior.

WAXED FINISHES (CONTINUED)



PCU POLISHED COPPER

AGING FACTOR: 1

Will begin to naturally darken within the first month of installation and will continue over time with a beautiful green patina.

Remove dirt and oils with soap and soft damp cloth. Apply a wax to preserve appearance.

Interior / exterior.



AC ANTIQUE COPPER

AGING FACTOR: 1

Will lighten at first as the oxidation begins to wear to show more copper. Over time the finish will darken and will gain a green patina.

Remove dirt and oils with soap and soft damp cloth. Apply a wax to preserve appearance.

Interior / exterior.



RB RELIEVED BRONZE

AGING FACTOR: 1

Will lighten at first as the oxidation begins to wear to show more brass. Over time the finish will darken with a brown patina.

Remove dirt and oils with soap and soft damp cloth. Apply a wax to preserve appearance.

Interior / exterior.

LACQUERED FINISHES

A clear protective coating can be applied to the hardware after the coloring or plating process is completed. This clear coating protects the surface from scratching and other wear and helps preserve the factory finish for many years.

The lacquer coat can have a shiny or matte finish. This lacquer is sprayed onto the parts and cured to a hard finish. This clear coating is vulnerable to scratching and chipping if exposed to heavy use. It is also subject to crazing, the formation of fine breaks on the surface due to exposure to ultraviolet light, moisture and cold. Not recommended for use on the home exterior.



SN SATIN NICKEL

AGING FACTOR: 3

Fairly tarnish resistant. The addition of lacquer helps to increase the longevity of this finish.

Remove dirt and oils with soap and soft cloth.

Interior / exterior.



WN WEATHERED NICKEL

AGING FACTOR: 3

Fairly tarnish resistant. The addition of lacquer helps to increase the longevity of this finish.

Remove dirt and oils with soap and soft cloth.

Interior / exterior.



WAN WEATHERED ANTIQUE NICKEL

AGING FACTOR: 3

Will gain patina quickly but retain shine in high traffic areas.

Remove dirt and oils with soap and soft cloth. Apply wax to preserve.

Interior / exterior.

LACQUERED FINISHES (CONTINUED)



AN ANTIQUE NICKEL **AGING FACTOR: 3**
Fairly tarnish resistant. The addition of lacquer helps to increase the longevity of this finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.



WP WEATHERED PEWTER **AGING FACTOR: 3**
Fairly tarnish resistant. The addition of lacquer helps to increase the longevity of this finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.



AP ANTIQUE PEWTER **AGING FACTOR: 3**
Fairly tarnish resistant. The addition of lacquer helps to increase the longevity of this finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.



PB POLISHED BRASS **AGING FACTOR: 2**
Tarnishes fairly quickly but the addition of lacquer helps to increase the longevity of the finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.



PA POLISHED ANTIQUE **AGING FACTOR: 2**
Tarnishes fairly quickly but the addition of lacquer helps to increase the longevity of the finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.



BNB BURNISHED BRASS **AGING FACTOR: 2**
Tarnishes fairly quickly but the addition of lacquer helps to increase the longevity of the finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.



SB SATIN BRASS **AGING FACTOR: 2**
Tarnishes fairly quickly but the addition of lacquer helps to increase the longevity of the finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.



AB ANTIQUE BRASS **AGING FACTOR: 2**
Tarnishes fairly quickly but the addition of lacquer helps to increase the longevity of the finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.

LACQUERED FINISHES (CONTINUED)



WB

WEATHERED BRASS

AGING FACTOR: 2

Tarnishes fairly quickly but the addition of lacquer helps to increase the longevity of the finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.



WZ

WEATHERED BRONZE

AGING FACTOR: 2

Fairly tarnish resistant. The addition of lacquer helps to increase the longevity of this finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.



BARC

BARCELONA

AGING FACTOR: 2

Fairly tarnish resistant. The addition of lacquer helps to increase the longevity of this finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.



ORB

OIL RUBBED BRONZE

AGING FACTOR: 2

Fairly tarnish resistant. The addition of lacquer helps to increase the longevity of this finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.




WC

WEATHERED COPPER

AGING FACTOR: 2

Tarnishes fairly quickly but the addition of lacquer helps to increase the longevity of the finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.



SCU

SATIN COPPER

AGING FACTOR: 2

Tarnishes fairly quickly but the addition of lacquer helps to increase the longevity of the finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.



MB

MATTE BLACK

AGING FACTOR: 2

Fairly tarnish resistant. The addition of lacquer helps to increase the longevity of this finish.
Remove dirt and oils with soap and soft cloth.
Interior / exterior.

POWDERCOAT FINISHES

AGING FACTOR: 4

In this process a fine colored powder is applied to the hardware and exposed to a heating process that melts and adheres the color to the part. Powdercoat provides a tough, durable finish. Hundreds of colors are available to achieve nearly any decor or decorating goals you have in mind. See our website or speak with one of our customer service representatives for more information on color choices.

Powder coating may have slightly less clarity than a lacquer or living finish. It may have irregular texture and is vulnerable to scratching in heavy traffic area.



*A small sampling of the hundreds of colors available.
Colors are approximated and could vary from actual finishes. Sample chips are available upon request.*

PHYSICAL VAPOR DEPOSITION (PVD) FINISHES

AGING FACTOR: 5


Employing an environmentally friendly vacuum coating process, PVD is the most durable finish available. It provides a variety of decorative finishes with excellent wear and corrosion resistance. The hardware is first electroplated with a thin layer of copper, then palladium nickel. This prepares and fortifies the surface to accept the PVD finish. These finishes are resistant to scratching in high traffic areas and provide excellent protection to adverse weather and coastal atmospheric conditions.

Longer lead times are required for the PVD process - inquire when placing your order. There are a limited number of finishes available. Custom matches to existing hardware may not be possible.

Care and cleaning: Remove dirt and oils with a household or dish soap, warm water and a soft cloth. Waxing and polishing are not required.



PVD-PC
Polished Chrome



PVD-SC
Satin Chrome




PVD-PN
Polished Nickel



PVD-SN
Satin Nickel



PVD-PBN
Polished Black Nickel



PVD-SS
Stainless Steel



PVD-GR
Graphite



PVD-PB
Polished Brass




PVD-SB
Satin Brass



PVD-PG
Polished Gold



PVD-FG
French Gold




PVD-SG
Satin Gold



PVD-SBZ
Satin Bronze



PVD-MBZ
Mocha Bronze



PVD-ORB
Oil Rubbed Bronze



PVD, POWDERCOAT & SILVER UPCHARGES

Additional lead times will apply and are subject to change. Inquire at time of order for more information.

PVD COSTING

Orders under \$6,000 list price; add a \$3,000 lot charge.

Orders over \$6,000, add an additional 50% to the list price.

Refer to Finish Guide for more information on PVD Finishes

POWDERCOAT COSTING

There is **no upcharge** for matte black powdercoat. For all other colors:

Orders under \$5,000 list price, add a \$1,000 setup charge to the order.

Orders over \$5,000 list price, add 20% to the list price.

Multiple pieces / sets can be combined to reach the setup charge as long as they are all the same powdercoat finish.

Refer to Finish Guide for more information on Powdercoat Finishes

SILVER FINISHES COSTING

There is a flat 20% upcharge on set pricing for all silver finishes. These include PS - Polished Silver, AS - Antique Silver and SS - Satin Silver.




WATER STREET.
JAMESTOWN NEW YORK



- 25000* **KNOB**
Pricing Tier I
- 20019 **ROSETTE, 1-7/8" DIAMETER**
- 20015 **ROSETTE, 2-9/16" DIAMETER**
- 20014 **ROSETTE, 2-1/8" DIAMETER**

*Insert code for knurl pattern:
-C = Coin -D = Diamond -R = Rope

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25002 KNOB
Pricing Tier I

20019 ROSETTE, 1-7/8" DIAMETER

20014 ROSETTE, 2-1/8" DIAMETER

20015 ROSETTE, 2-9/16" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request





WATER STREET.
JAMESTOWN NEW YORK




25005 KNOB
Pricing Tier I

25060 SCREEN DOOR KNOB
Pricing Tier I

20040 ROSETTE, 2-3/16" X 2-3/16"

20041 ROSETTE, 2-9/16" X 2-9/16"

Made to order. Custom sizes available.
Lead times and pricing upon request





WATER STREET.
JAMESTOWN NEW YORK




25011 OVAL KNOB
Pricing Tier I

20050 ROSETTE, 1-3/4" X 1-3/4"

20066 ROSETTE, 2" X 2"

20051 ROSETTE, 2-1/2" X 2-1/2"

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25011 OVAL KNOB
Pricing Tier I

20035 ROSETTE, 2" X 2"

20036 ROSETTE, 2-1/2" X 2-1/2"

Made to order. Custom sizes available.
Lead times and pricing upon request.






WATER STREET.
JAMESTOWN NEW YORK



- 25013 **BUN KNOB**
Pricing Tier I
- 25061 **SCREEN DOOR KNOB**
Pricing Tier I
- 20126 **ROSETTE, 2" DIAMETER**
- 20135 **ROSETTE, 2-1/4" DIAMETER**
- 20151 **ROSETTE, 2-3/4" DIAMETER**

Made to order. Custom sizes available.
Lead times and pricing upon request.






WATER STREET.
JAMESTOWN NEW YORK



- 25015 KNOB
Pricing Tier I
- 20030 ROSETTE, 2" DIAMETER
- 20031 ROSETTE, 2-1/2" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.






WATER STREET.
JAMESTOWN NEW YORK



- 25015-B BEAD KNOB
Pricing Tier II
- 20030-B BEAD ROSETTE,
2" DIAMETER
- 20031-B BEAD ROSETTE,
2-1/2" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.






WATER STREET.
JAMESTOWN NEW YORK



- 25015-* **KNURLED KNOB**
Pricing Tier II
- 20030-* **KNURLED ROSETTE**
2 DIAMETER
- 20031-* **KNURLED ROSETTE,**
2-1/2" DIAMETER

*Insert code for knurl pattern:
-C = Coin -D = Diamond -R = Rope
Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25016 FLAT KNOB
Pricing Tier I

20050 ROSETTE, 1-3/4" X 1-3/4"

20066 ROSETTE, 2" X 2"

20051 ROSETTE, 2-1/2" X 2-1/2"

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25017-C RECESSED COIN KNOB
Pricing Tier II

20019 ROSETTE, 1-7/8" DIAMETER

20014 ROSETTE, 2-1/8" DIAMETER

20015 ROSETTE, 2-9/16" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25024 OBLONG KNOB
Pricing Tier II

20019 ROSETTE, 1-7/8" DIAMETER

20014 ROSETTE, 2-1/8" DIAMETER

20015 ROSETTE, 2-9/16" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25026 KNOB
Pricing Tier I

20126 ROSETTE, 2" DIAMETER

20135 ROSETTE, 2-1/4" DIAMETER

20151 ROSETTE, 2-3/4" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK



25026* KNURLED KNOB
Pricing Tier II


20126 ROSETTE, 2" DIAMETER

20135 ROSETTE, 2-1/4" DIAMETER

20151 ROSETTE, 2-3/4" DIAMETER

*Insert code for knurl pattern:
-C = Coin -D = Diamond

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25029 WOOD KNOB
Pricing Tier III

20057 ROSETTE, 2-1/8" DIAMETER

20058 ROSETTE, 2-1/2" DIAMETER

Made to order. Custom sizes available.
Inquire about alternate wood species.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25032 KNOB
Pricing Tier I

20057 ROSETTE, 2-1/8" DIAMETER

20058 ROSETTE, 2-1/2" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25035 KNOB
Pricing Tier I

20126 ROSETTE, 2" DIAMETER

20135 ROSETTE, 2-1/4" DIAMETER

20151 ROSETTE, 2-3/4" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK



COIN KNURL SHOWN


25035* KNURLED KNOB
Pricing Tier II

20030* KNURLED ROSETTE,
2" DIAMETER

20031* KNURLED ROSETTE,
2-1/2" DIAMETER

*Insert code for knurl pattern:
-C = Coin -D = Diamond

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25037 KNOB
Pricing Tier I

20057 ROSETTE, 2-1/8" DIAMETER

20058 ROSETTE, 2-1/2" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25038 KNOB
Pricing Tier I

20057 ROSETTE, 2-1/8" DIAMETER

20058 ROSETTE, 2-1/2" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK



25041 KNOB
Pricing Tier I


25062 SCREEN DOOR KNOB
Pricing Tier I

20019 ROSETTE, 1-7/8" DIAMETER 2-7/16"

20014 ROSETTE, 2-1/8" DIAMETER

20015 ROSETTE, 2-9/16" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25041 KNOB
Pricing Tier I

25062 SCREEN DOOR KNOB
Pricing Tier I

20171 ROSETTE, 2-1/4" DIAMETER 2-7/16"

Made to order. Custom sizes available.
Lead times and pricing upon request.






WATER STREET.
JAMESTOWN NEW YORK



- 25041* **KNURLED KNOB**
Pricing Tier II
- 25062* **KNURLED SCREEN
DOOR KNOB**
Pricing Tier II
- 20171* **KNURLED ROSETTE,
2-1/4" DIAMETER**

*Insert code for knurl pattern:
-C = Coin -D = Diamond -R = Rope
Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25044 KNOB
Pricing Tier I

20175 ROSETTE, 2" DIAMETER

20174 ROSETTE, 2-1/4" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET.
JAMESTOWN NEW YORK




25055 KNOB
Pricing Tier II

20019 ROSETTE, 1-7/8" DIAMETER

20014 ROSETTE, 2-1/8" DIAMETER

20015 ROSETTE, 2-9/16" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request





WATER STREET

JAMESTOWN NEW YORK



23015* LEVER
Pricing Tier I


20019 ROSETTE, 1-7/8" DIAMETER

20014 ROSETTE, 2-1/8" DIAMETER

20015 ROSETTE, 2-9/16" DIAMETER

*Insert code for knurl pattern:
-C = Coin -D = Diamond -R = Rope

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23020 LEVER
Pricing Tier I

20040 ROSETTE, 2-3/16" X 2-3/16"

20041 ROSETTE, 2-9/16" X 2-9/16"

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23024 LEVER
Pricing Tier I

20035 ROSETTE, 2" X 2"

20036 ROSETTE, 2-1/2" X 2-1/2"

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23030* LEVER
Pricing Tier I

20030* ROSETTE, 2" DIAMETER

20031* ROSETTE, 2-1/2" DIAMETER

*Insert code for knurl pattern:
-C = Coin -D = Diamond -R = Rope

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23040 LEVER
Pricing Tier II

20050 ROSETTE, 1-3/4" X 1-3/4"

20066 ROSETTE, 2" X 2"

20051 ROSETTE, 2-1/2" X 2-1/2"

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23050 LEVER

Pricing Tier III

20268 ROSETTE, 2" X 2"

20072 ROSETTE, 2-1/2" X 2-1/2"

Made to order. Custom sizes available.
Lead times and pricing upon request.






WATER STREET
JAMESTOWN NEW YORK



23050 LEVER
Pricing Tier III

20142 ROSETTE, 2" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK



23056 LEVER


Pricing Tier II

20126 ROSETTE, 2" DIAMETER

20135 ROSETTE, 2-1/4" DIAMETER

20151 ROSETTE, 2-3/4" DIAMETER


Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET


JAMESTOWN NEW YORK



23060 OCTAGON LEVER
Pricing Tier III

20144 OCTAGON ROSETTE,
2" X 2" OCTAGONAL

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23062 LEVER
Pricing Tier II

20050 ROSETTE, 1-3/4" X 1-3/4"

20066 ROSETTE, 2" X 2"

20051 ROSETTE, 2-1/2" X 2-1/2"

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23063 LEVER

Pricing Tier III

20057 ROSETTE, 2-1/8" DIAMETER

20058 ROSETTE, 2-1/2" DIAMETER

Made to order. Custom sizes available.
Inquire about alternate wood species.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23064 LEVER
Pricing Tier II

20050 ROSETTE, 1-3/4" X 1-3/4"

20066 ROSETTE, 2" X 2"

20051 ROSETTE, 2-1/2" X 2-1/2"

Made to order. Custom sizes available.
Lead times and pricing upon request.






WATER STREET

LAKEWOOD NEW YORK



- 23064 LEVER
Pricing Tier II
- 20050_S ROSETTE, 1-3/4" X 1-3/4"
SURFACE MOUNT
- 20051_S ROSETTE, 2-1/2" X 2-1/2"
SURFACE MOUNT

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




COIN KNURL SHOWN

- 23064.* KNURLED LEVER
Pricing Tier III
- 20050_S ROSETTE, 1-3/4" X 1-3/4"
SURFACE MOUNT
- 20051_S ROSETTE, 2-1/2" X 2-1/2"
SURFACE MOUNT

*Insert code for knurl pattern:
-C = Coin -D = Diamond

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23066-C RECESSED COIN LEVER
Pricing Tier II

20138-C* COIN ROSETTE,
2-9/16" DIAMETER

*Insert code for knurl pattern:
-C = Coin -D = Diamond -R = Rope

Made to order. Custom sizes available.
Lead times and pricing upon request.






WATER STREET
JAMESTOWN NEW YORK



23071 LEVER
Pricing Tier I

20150 ROSETTE, 2" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK



23075* LEVER

Pricing Tier I

23074 SCREEN DOOR LEVER


Pricing Tier I

20200 OVAL ROSETTE, 2" X 2-3/8"

*Insert code for knurl pattern:

-C = Coin -D = Diamond -R = Rope

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23075.* **KNURLED LEVER**
Pricing Tier II

20194* **ROSETTE,**
1-7/8" DIAMETER

20171* **ROSETTE,**
2-1/4" DIAMETER

*Insert code for knurl pattern:
-C = Coin -D = Diamond -R = Rope

Made to order. Custom sizes available.
Lead times and pricing upon request.






WATER STREET
JAMESTOWN NEW YORK



23076 LEVER
Pricing Tier II

20142 ROSETTE, 2" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23076 LEVER
Pricing Tier II

20268 ROSETTE, 2" X 2"

20072 ROSETTE, 2-1/2" X 2-1/2"

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET


JAMESTOWN NEW YORK



23085 LEVER
Pricing Tier II

20219 ROSETTE, 2" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23090 LEVER

Pricing Tier III

20220 ROSETTE, 1" DIAMETER

Passage only - cannot be used for dummy applications.

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET
JAMESTOWN NEW YORK




23095 LEVER
Pricing Tier II

20175 ROSETTE, 2" DIAMETER

20174 ROSETTE, 2-1/4" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

JAMESTOWN NEW YORK




23100 LEVER
Pricing Tier II

20019 ROSETTE, 1-7/8" DIAMETER

20014 ROSETTE, 2-1/8" DIAMETER

20015 ROSETTE, 2-9/16" DIAMETER

Made to order. Custom sizes available.
Lead times and pricing upon request.






WATER STREET

LAKEWOOD NEW YORK



21101 Escutcheon



JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21100	3"	20"
M	21101	2-1/2"	12"
N	21102	1-1/2"	11"
S	21113	2"	7"

Custom plates of nearly any size are available to fit your job specifications. Not all plate sizes may work with every application. Consult with Water Street Brass about your requirements and we'll work with you to realize your vision.

Surface mount screws are standard for most applications.

Through bolting standard for multipoint doors. Through bolting is available as an option on many applications; specify on order sheet.




WATER STREET

LAKEWOOD NEW YORK




21101 Escutcheon
25000 Knob



M

JS Edge Detail



JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21101	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET


LAKEWOOD NEW YORK



21101 Escutcheon
25035 Knob
22000 Thumb Turn



M



JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21101	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:


- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.



WATER STREET

LAKEWOOD NEW YORK



JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	21102	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.

21102 Escutcheon
23071 Lever
22000 Thumb Turn




WATER STREET


LAKEWOOD NEW YORK



21102 Escutcheon
23015 Lever



N



JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	21102	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET

LAKEWOOD NEW YORK




21100 Escutcheon
22003 Thumbpiece
7370 Entry Handle



L

JS Edge Detail



JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21100	3"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates




WATER STREET

LAKEWOOD NEW YORK




21100 Escutcheon
22003 Thumbpiece
7401 Entry Handle



L

JS Edge Detail



JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21100	3"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates





WATER STREET

LAKEWOOD NEW YORK



21113 Escutcheon
23015 Lever
22005 Emergency Egress Button



JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21113	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET


LAKEWOOD NEW YORK



21113 Escutcheon
25041 Knob
22000 Thumb Turn



S



JS Edge Detail

JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21113	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets





WATER STREET

LAKEWOOD NEW YORK



21113 Escutcheon
23056 Lever



JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21113	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET

LAKEWOOD NEW YORK



21121 Escutcheon



JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
L	21120	3"	20"
M	21121	2-1/2"	12"
N	21124	1-1/2"	11"
S	21127	2"	7"

Custom plates of nearly any size are available to fit your job specifications. Not all plate sizes may work with every application. Consult with Water Street Brass about your requirements and we'll work with you to realize your vision.

Surface mount screws are standard for most applications.

Through bolting standard for multipoint doors. Through bolting is available as an option on many applications; specify on order sheet.




WATER STREET

LAKEWOOD NEW YORK




21121 Escutcheon
25002 Knob



M

JS Edge Detail



JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
M	21121	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET

LAKEWOOD NEW YORK




21121 Escutcheon
25041 Knob
22000 Thumb Turn



M

JS Edge Detail



JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
M	21121	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET


LAKEWOOD NEW YORK



21120 Escutcheon
22003 Thumbpiece
7370 Entry Handle



JS Edge Detail



JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
L	21120	3"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates





WATER STREET

LAKEWOOD NEW YORK



21120 Escutcheon
22007 Thumbpiece
7401 Entry Handle



JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
L	21120	3"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates




WATER STREET

LAKEWOOD NEW YORK



21124 Escutcheon
23015 Lever



N



JS Edge Detail

JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
N	21124	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:



- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.



WATER STREET

LAKEWOOD NEW YORK



JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
N	21124	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.

21124 Escutcheon
23075 Lever
22000 Thumb Turn




WATER STREET


LAKEWOOD NEW YORK



21127 Escutcheon
25000 Knob



S



JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
S	21127	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets





WATER STREET

LAKEWOOD NEW YORK



21127 Escutcheon
25005 Knob
22046 Anchor Thumb Turn



JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
S	21127	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET


LAKEWOOD NEW YORK



21127 Escutcheon
23056 Lever



S



JS Edge Detail

JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
S	21127	2"	7"


The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET

LAKEWOOD NEW YORK



21201 Escutcheon



TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21200	2-1/2"	20"
M	21201	2-1/2"	12"
N	21204	2"	12"
S	21213	2"	7"

Custom plates of nearly any size are available to fit your job specifications. Not all plate sizes may work with every application. Consult with Water Street Brass about your requirements and we'll work with you to realize your vision.

Surface mount screws are standard for most applications.

Through bolting standard for multipoint doors. Through bolting is available as an option on many applications; specify on order sheet.




WATER STREET

LAKEWOOD NEW YORK




21201 Escutcheon
23040 Lever



M

TR Edge Detail



TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21201	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET

LAKEWOOD NEW YORK




21201 Escutcheon
25005 Knob
22010 Thumb Turn



M

TR Edge Detail



TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21201	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET

LAKEWOOD NEW YORK



21204 Escutcheon
23020 Lever



N

TR Edge Detail



TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	21204	2"	12"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:


- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.



WATER STREET

LAKEWOOD NEW YORK



N

TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	21204	2"	12"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.

21204 Escutcheon
23040 Lever
22010 Thumb Turn




WATER STREET

LAKEWOOD NEW YORK




21200 Escutcheon
22008 Thumbpiece
7404 Entry Handle



L

TR Edge Detail



TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21200	2-1/2"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates




WATER STREET

LAKEWOOD NEW YORK




21200 Escutcheon
22010 Thumb Turn
22043 Thumbpiece
7430 Entry Handle



L

TR Edge Detail



TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21200	2-1/2"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates




WATER STREET

LAKEWOOD NEW YORK



S

TR Edge Detail



TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21213	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets

21213 Escutcheon
25005 Knob
22006 Emergency Egress Button



WATER STREET

LAKEWOOD NEW YORK




21213 Escutcheon
25024 Oval Knob
22044 Oval Thumb Turn



S

TR Edge Detail



TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21213	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets



WATER STREET


LAKEWOOD NEW YORK



21213 Escutcheon
23064 Lever



S



TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21213	2"	7"


The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET

LAKEWOOD NEW YORK



21221 Escutcheon



TS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21220	2-1/2"	20"
M1	21221	2-1/2"	12"
M2	21224	2"	12"
N	21222	1-1/2"	11"
S	21223	2"	7"

Custom plates of nearly any size are available to fit your job specifications. Not all plate sizes may work with every application. Consult with Water Street Brass about your requirements and we'll work with you to realize your vision.

Surface mount screws are standard for most applications.

Through bolting standard for multipoint doors. Through bolting is available as an option on many applications; specify on order sheet.




WATER STREET

LAKEWOOD NEW YORK



21221 Escutcheon
23076 Lever



M

TS Edge Detail



TS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21221	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET

LAKEWOOD NEW YORK



21221 Escutcheon
25024 Oval Knob
22011 Thumb Turn



M

TS Edge Detail



TS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21221	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET

LAKEWOOD NEW YORK



21224 Escutcheon
23076 Lever



M

TS Edge Detail



TS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21224	2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates
- American & profile cylinder multipoint sets

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET

LAKEWOOD NEW YORK



TS Edge Detail



N

TS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	21222	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.

21222 Escutcheon
23080 Lever
22011 Thumb Turn




WATER STREET

LAKEWOOD NEW YORK




21220 Escutcheon
22012 Thumbpiece
7404SS Entry Handle



L

TS Edge Detail



TS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21220	2-1/2"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates




WATER STREET

LAKEWOOD NEW YORK



21220 Escutcheon
22011 Thumb Turn
22012 Thumbpiece
7404SS Entry Handle



L

TS Edge Detail



TS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21220	2-1/2"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates



WATER STREET


LAKEWOOD NEW YORK



21223 Escutcheon
25035 Knob
22006 Emergency Egress Button



S



TS Edge Detail

TS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21223	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET

LAKEWOOD NEW YORK



21223 Escutcheon
23064.C Coin Lever



S

TS Edge Detail



TS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21223	2"	7"


The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET

LAKEWOOD NEW YORK



21301 Escutcheon



HD EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21300	2-1/2"	20"
M1	21301	2-1/2"	12"
M2	21304	2"	12"
N	21302	1-1/2"	11"
S	21313	2"	7"

Custom plates of nearly any size are available to fit your job specifications. Not all plate sizes may work with every application. Consult with Water Street Brass about your requirements and we'll work with you to realize your vision.

Surface mount screws are standard for most applications.

Through bolting standard for multipoint doors. Through bolting is available as an option on many applications; specify on order sheet.




WATER STREET

LAKEWOOD NEW YORK



21301 Escutcheon
25013 Knob



M

HD Edge Detail



HD EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21301	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:


- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.



WATER STREET

LAKEWOOD NEW YORK



M

HD Edge Detail



HD EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21301	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.

21301 Escutcheon
25011 Oval Knob
22004 Oval Thumb Turn



WATER STREET

LAKEWOOD NEW YORK




21302 Escutcheon
23024 Lever



N

HD Edge Detail



HD EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	21302	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.



WATER STREET

LAKEWOOD NEW YORK



HD EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	21302	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.

21302 Escutcheon
23085 Lever
22060 Thumb Turn



WATER STREET

LAKEWOOD NEW YORK



21300 Escutcheon
22007 Thumbpiece
7375 Entry Pull



L

HD Edge Detail



HD EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21300	2-1/2"	20"

The large escutcheon plate is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates




WATER STREET

LAKEWOOD NEW YORK



21300 Escutcheon
22003 Thumbpiece
7401 Entry Handle



L

HD Edge Detail



HD EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21300	2-1/2"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates




WATER STREET

LAKEWOOD NEW YORK



21313 Escutcheon
25035 Knob
22006 Emergency Egress Button



S

HD Edge Detail



HD EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21313	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets



WATER STREET

LAKEWOOD NEW YORK



S

HD Edge Detail



HD EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21313	2"	7"

21313 Escutcheon
23024 Lever
22046 Anchor Thumb Turn


The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets



WATER STREET

LAKEWOOD NEW YORK



S

HD Edge Detail



HD EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21313	2"	7"

21313 Escutcheon
23077 Lever


The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET

LAKEWOOD NEW YORK



21401 Escutcheon



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21400	2-1/2"	20"
M	21401	2-1/2"	12"
N	21402	1-1/2"	11"
S	21413	2"	7"

Custom plates of nearly any size are available to fit your job specifications. Not all plate sizes may work with every application. Consult with Water Street Brass about your requirements and we'll work with you to realize your vision.

Surface mount screws are standard for most applications.

Through bolting standard for multipoint doors. Through bolting is available as an option on many applications; specify on order sheet.




WATER STREET

LAKEWOOD NEW YORK




21401 Escutcheon
25015 Knob



M

PR Edge Detail



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21401	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET

LAKEWOOD NEW YORK




21401 Escutcheon
25016 Knob
22004 Oval Thumb Turn



M

PR Edge Detail



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21401	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.



WATER STREET

LAKEWOOD NEW YORK



21402 Escutcheon
23030 Lever



N

PR Edge Detail



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	21402	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET

LAKEWOOD NEW YORK



N

PR Edge Detail



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	21402	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.

21402 Escutcheon
23056 Lever
22004 Oval Thumb Turn




WATER STREET

LAKEWOOD NEW YORK




21400 Escutcheon
22003 Thumbpiece
7401 Entry Handle



L

PR Edge Detail



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21400	2-1/2"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates




WATER STREET

LAKEWOOD NEW YORK




21400 Escutcheon
22007 Thumbpiece
7375 Entry Handle



L

PR Edge Detail



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21400	2-1/2"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates




WATER STREET

LAKEWOOD NEW YORK



21413 Escutcheon
25013 Knob
22006 Emergency Egress Button



S

PR Edge Detail



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21413	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET

LAKEWOOD NEW YORK




21413 Escutcheon
23015 Lever
22046 Anchor Thumb Turn



S

PR Edge Detail



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21413	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET

LAKEWOOD NEW YORK




21413 Escutcheon
23071 Lever



S

PR Edge Detail



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21413	2"	7"


The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET

LAKEWOOD NEW YORK



21421 Escutcheon



PR EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
L	21420	2-1/2"	20"
M	21421	2-1/2"	12"
N	21422	1-1/2"	11"
S	21423	2"	7"

Custom plates of nearly any size are available to fit your job specifications. Not all plate sizes may work with every application. Consult with Water Street Brass about your requirements and we'll work with you to realize your vision.

Surface mount screws are standard for most applications.

Through bolting standard for multipoint doors. Through bolting is available as an option on many applications; specify on order sheet.




WATER STREET

LAKEWOOD NEW YORK




21421 Escutcheon
25035 Knob



M

PR Edge Detail



PR EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
M	21421	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET

LAKEWOOD NEW YORK




21421 Escutcheon
25002 Knob
22004 Oval Thumb Turn



M

PR Edge Detail



PR EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
M	21421	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET

LAKEWOOD NEW YORK




21422 Escutcheon
23075 Lever
22000 Thumb Turn



N

PR Edge Detail



PR EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
N	21422	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.




WATER STREET

LAKEWOOD NEW YORK



N

PR Edge Detail



PR EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
N	21422	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.

21422 Escutcheon
23071 Lever




WATER STREET

LAKEWOOD NEW YORK



21420 Escutcheon
22003 Thumbpiece
7513 Entry Handle



L

PR Edge Detail



PR EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
L	21420	2-1/2"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates




WATER STREET

LAKEWOOD NEW YORK



21420 Escutcheon
22003 Thumbpiece
7370 Entry Handle



L

PR Edge Detail



PR EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
L	21420	2-1/2"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates




WATER STREET

LAKEWOOD NEW YORK



21423 Escutcheon
25041 Knob
22004 Oval Thumb Turn



S

PR Edge Detail



PR EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
S	21423	2"	7"


The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET

LAKEWOOD NEW YORK



S

PR Edge Detail



PR EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
S	21423	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets

21423 Escutcheon
25044 Knob
22006 Emergency Egress Button



WATER STREET

LAKEWOOD NEW YORK



21501 Escutcheon



MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21500	2-1/2"	20"
M	21501	2-1/2"	12"
N	21502	1-1/2"	11"
S	21513	2"	7"

Custom plates of nearly any size are available to fit your job specifications. Not all plate sizes may work with every application. Consult with Water Street Brass about your requirements and we'll work with you to realize your vision.

Surface mount screws are standard for most applications.

Through bolting standard for multipoint doors. Through bolting is available as an option on many applications; specify on order sheet.



WATER STREET

LAKEWOOD NEW YORK



MN Edge Detail



M

MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21501	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.

21501 Escutcheon
23040 Lever
22009 Thumb Turn



WATER STREET

LAKEWOOD NEW YORK



21501 Escutcheon
23064 Lever
22009 Thumb Turn



M

MN Edge Detail



MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	21501	2-1/2"	12"

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.



WATER STREET

LAKEWOOD NEW YORK



N

MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	21502	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.

21502 Escutcheon
23071 Lever
22004 Oval Thumb Turn



WATER STREET

LAKEWOOD NEW YORK



MN Edge Detail



N

MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	21502	1-1/2"	11"

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.

21502 Escutcheon
23064.C Coin Lever



WATER STREET

LAKEWOOD NEW YORK



21500 Escutcheon
22043 Thumbpiece
7430 Entry Handle



MN Edge Detail



MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21500	2-1/2"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates



WATER STREET

LAKEWOOD NEW YORK



21500 Escutcheon
22007 Thumbpiece
7813 Entry Handle



MN Edge Detail



MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21500	2-1/2"	20"

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates



WATER STREET

LAKEWOOD NEW YORK



21513 Escutcheon
25013 Knob
22004 Oval Thumb Turn



S

MN Edge Detail



MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21513	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets



WATER STREET


LAKEWOOD NEW YORK



21513 Escutcheon
23064 Lever
22009 Thumb Turn



MN Edge Detail



S

MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21513	2"	7"

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets



WATER STREET

LAKEWOOD NEW YORK



MN Edge Detail



S

MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	21513	2"	7"

The small escutcheon is used primarily on interior door applications:


- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets

21513 Escutcheon
25032 Knob
22004 Oval Thumb Turn



WATER STREET

LAKEWOOD NEW YORK



216C01 Coin Escutcheon




COIN



DIAMOND



ROPE



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	216*00	2-1/2"	20"
M	216*01	2-1/2"	12"
N	216*02	1-1/2"	11"
S	216*13	2"	7"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

Custom plates of nearly any size are available to fit your job specifications. Not all plate sizes may work with every application. Consult with Water Street Brass about your requirements and we'll work with you to realize your vision.

Surface mount screws are standard for most applications.

Through bolting standard for multipoint doors. Through bolting is available as an option on many applications; specify on order sheet.



WATER STREET

LAKEWOOD NEW YORK



216C01 Coin Escutcheon
25000 Knob




COIN



DIAMOND




ROPE




M


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	216*01	2-1/2"	12"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The medium escutcheon plate can be use on a large range of applications, including:


- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.



WATER STREET

LAKEWOOD NEW YORK



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
M	216*01	2-1/2"	12"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.

216C01 Coin Escutcheon
25015.C Coin Knob
22004 Oval Thumb Turn



WATER STREET

LAKEWOOD NEW YORK



216C02 Coin Escutcheon
23066.C Coin Lever



COIN



DIAMOND




ROPE




N


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	216*02	1-1/2"	11"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.



WATER STREET

LAKEWOOD NEW YORK



COIN



DIAMOND




ROPE



N


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
N	216*02	1-1/2"	11"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The narrow sized escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.

216C02 Coin Escutcheon
23015.C Coin Lever
22000 Thumb Turn



WATER STREET

LAKEWOOD NEW YORK



216C00 Coin Escutcheon
22003 Thumbpiece
7370.C Coin Entry Handle




COIN



DIAMOND




ROPE




L


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	216*00	2-1/2"	20"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates



WATER STREET

LAKEWOOD NEW YORK



216C00 Coin Escutcheon
22007 Thumbpiece
7384.C Coin Entry Handle




COIN



DIAMOND



ROPE




L


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	216*00	2-1/2"	20"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates



WATER STREET

LAKEWOOD NEW YORK



216C13 Coin Escutcheon
25035.C Coin Knob
22046 Anchor Thumb Turn



COIN



DIAMOND



ROPE




S


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	216*13	2"	7"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets



WATER STREET

LAKEWOOD NEW YORK



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	216*13	2"	7"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets

216C13 Coin Escutcheon
23030.C Coin Lever
22005 Emergency Egress Button



WATER STREET

LAKEWOOD NEW YORK



216C13 Coin Escutcheon
25015.C Coin Knob




COIN



DIAMOND




ROPE




S


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
S	216*13	2"	7"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope


The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets



WATER STREET

LAKEWOOD NEW YORK



216C21 Escutcheon



COIN



DIAMOND




ROPE



KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
L	216*20	2-1/2"	20"
M	216*21	2-1/2"	12"
N	216*22	1-1/2"	11"
S	216*23	2"	7"

*Insert code for edge knurl pattern:

C = Coin D = Diamond R = Rope

Custom plates of nearly any size are available to fit your job specifications. Not all plate sizes may work with every application. Consult with Water Street Brass about your requirements and we'll work with you to realize your vision.


Surface mount screws are standard for most applications.

Through bolting standard for multipoint doors. Through bolting is available as an option on many applications; specify on order sheet.



WATER STREET

LAKWOOD NEW YORK



KN EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
M	216*21	2-1/2"	12"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.

216C21 Coin Escutcheon
25035.C Coin Knob




WATER STREET

LAKEWOOD NEW YORK



216C21 Coin Escutcheon
25026.C Coin Knob
22060 Thumb Turn



KN EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
M	216*21	2-1/2"	12"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The medium escutcheon plate can be use on a large range of applications, including:

- Mortise & tubular entry sets
- Mortise & tubular privacy or passage sets
- Full and half dummy sets
- Push plates

All escutcheons made to order.
Custom sizes and profiles available.



WATER STREET

LAKEWOOD NEW YORK



KN EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
N	216*22	1-1/2"	11"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.

216C22 Coin Escutcheon
23075.C Coin Lever
22000 Thumb Turn



WATER STREET

LAKEWOOD NEW YORK



COIN



DIAMOND



ROPE



N


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
N	216*22	1-1/2"	11"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The narrow escutcheon plate is used on any door with a narrow stile. Applications include:

- Multipoint profile cylinder entry sets
- Multipoint American cylinder entry sets
- Multipoint, mortise & tubular privacy or passage sets
- Full or half dummy sets

All escutcheons made to order.
Custom sizes and profiles available.

216C22 Coin Escutcheon
23030.C Coin Lever



WATER STREET

LAKWOOD NEW YORK



216C20 Coin Escutcheon
22003 Thumbpiece
7384.C Entry Handle




COIN



DIAMOND




ROPE




L


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
L	216*20	2-1/2"	20"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates



WATER STREET

LAKEWOOD NEW YORK



216C20 Coin Escutcheon
22003 Thumbpiece
7401 Entry Handle




COIN



DIAMOND



ROPE




L

KN EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
L	216*20	2-1/2"	20"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope



The large escutcheon is used primarily on exterior doors or very large interior doors, including the following applications:

- Thumbpiece x thumbpiece entry sets
- Thumbpiece x lever or knob (typically large escutcheon on exterior side only)
- Mortise or tubular privacy & passage sets
- Full and half dummy sets
- Push plates



WATER STREET

LAKEWOOD NEW YORK



216C23 Coin Escutcheon
25017.C Coin Knob
22004 Oval Thumb Turn




COIN



DIAMOND




ROPE




S


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
S	216*23	2"	7"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets



WATER STREET

LAKEWOOD NEW YORK



KN EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
S	216*23	2"	7"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets

216C23 Coin Escutcheon
23015.C Coin Lever
22005 Emergency Egress Button



WATER STREET

LAKEWOOD NEW YORK



216C23 Coin Escutcheon
25041.C Coin Knob



COIN



DIAMOND




ROPE




S


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
S	216*23	2"	7"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The small escutcheon is used primarily on interior door applications:

- Mortise privacy or passage sets
- Tubular privacy or passage sets
- Full and half dummy sets




WATER STREET

LAKEWOOD NEW YORK



21146 Passage Flush Pull



JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21146	2-1/4"	12"
M	21110	2-1/4"	8"
S	21147	2-1/4"	4"

The large size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Through bolting is standard.

Surface mounting available upon request.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21110 Privacy Flush Pull - Exterior



JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21146	2-1/4"	12"
M	21110	2-1/4"	8"
S	21147	2-1/4"	4"

The medium size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Surface mounting is standard.

Through bolting is not available with 2002 model locks.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21147 Passage Flush Pull



JS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21146	2-1/4"	12"
M	21110	2-1/4"	8"
S	21147	2-1/4"	4"

The small flush pull can be used on doors 1-3/8" thick or greater.

- Passage function only

Surface mounting only.

When paired with a model 2000 edge pull, the flush pull should be offset from the edge pull body.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21168 Passage Flush Pull



JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
L	21168	2-1/4"	13"
M	21122	2-1/4"	8"
S	21169	2-1/4"	5"

The large size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Through bolting is standard.

Surface mounting available upon request.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21122 Privacy Flush Pull - Interior



JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
L	21168	2-1/4"	13"
M	21122	2-1/4"	8"
S	21169	2-1/4"	5"

The medium size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Surface mounting is standard.

Through bolting is not available with 2002 model locks.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21169 Passage Flush Pull



JS EDGE DETAIL - TOMBSTONE PROFILE

Size	Part Number	Width	Height
L	21168	2-1/4"	13"
M	21122	2-1/4"	8"
S	21169	2-1/4"	5"

The small flush pull can be used on doors 1-3/8" thick or greater.

- Passage function only

Surface mounting only.

When paired with a model 2000 edge pull, the flush pull should be offset from the edge pull body.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21246 Privacy Flush Pull - Interior



TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21246	2-1/4"	12"
M	21210	2-1/4"	8"
S	21247	2-1/4"	4"

The large size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Through bolting is standard.

Surface mounting available upon request.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21210 Passage Flush Pull



TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21246	2-1/4"	12"
M	21210	2-1/4"	8"
S	21247	2-1/4"	4"

The medium size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Surface mounting is standard.

Through bolting is not available with 2002 model locks.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21247 Passage Flush Pull



TR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21246	2-1/4"	12"
M	21210	2-1/4"	8"
S	21247	2-1/4"	4"

The small flush pull can be used on doors 1-3/8" thick or greater.

- Passage function only

Surface mounting only.

When paired with a model 2000 edge pull, the flush pull should be offset from the edge pull body.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21266 Privacy Flush Pull - Exterior



TS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21266	2-1/4"	12"
M	21230	2-1/4"	8"
S	21267	2-1/4"	4"

The large size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Through bolting is standard.

Surface mounting available upon request.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21230 Privacy Flush Pull - Interior



TS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21266	2-1/4"	12"
M	21230	2-1/4"	8"
S	21267	2-1/4"	4"

The medium size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Surface mounting is standard.

Through bolting is not available with 2002 model locks.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21267 Passage Flush Pull



TS EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21266	2-1/4"	12"
M	21230	2-1/4"	8"
S	21267	2-1/4"	4"

The small flush pull can be used on doors 1-3/8" thick or greater.

- Passage function only

Surface mounting only.

When paired with a model 2000 edge pull, the flush pull should be offset from the edge pull body.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21346 Passage Flush Pull



HD EDGE DETAIL

Size	Part Number	Width	Height
L	21346	2-1/4"	12"
M	21310	2-1/4"	8"
S	21347	2-1/4"	4"

The large size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Through bolting is standard.

Surface mounting available upon request.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21310 Privacy Flush Pull - Exterior



HD EDGE DETAIL

Size	Part Number	Width	Height
L	21346	2-1/4"	12"
M	21310	2-1/4"	8"
S	21347	2-1/4"	4"

The medium size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Surface mounting is standard.

Through bolting is not available with 2002 model locks.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21347 Passage Flush Pull



HD EDGE DETAIL

Size	Part Number	Width	Height
L	21346	2-1/4"	12"
M	21310	2-1/4"	8"
S	21347	2-1/4"	4"

The small flush pull can be used on doors 1-3/8" thick or greater.

- Passage function only

Surface mounting only.


When paired with a model 2000 edge pull, the flush pull should be offset from the edge pull body.

All escutcheons made to order.



WATER STREET

LAKEWOOD NEW YORK



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21446	2-1/4"	12"
M	21410	2-1/4"	8"
S	21447	2-1/4"	4"

The large size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Through bolting is standard.

Surface mounting available upon request.

All escutcheons made to order.

21446 Privacy Flush Pull - Exterior




WATER STREET

LAKEWOOD NEW YORK



21410 Passage Flush Pull



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21446	2-1/4"	12"
M	21410	2-1/4"	8"
S	21447	2-1/4"	4"

The medium size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Surface mounting is standard.

Through bolting is not available with 2002 model locks.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21447 Passage Flush Pull



PR EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21446	2-1/4"	12"
M	21410	2-1/4"	8"
S	21447	2-1/4"	4"

The small flush pull can be used on doors 1-3/8" thick or greater.

- Passage function only

Surface mounting only.

When paired with a model 2000 edge pull, the flush pull should be offset from the edge pull body.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21466 Passage Flush Pull



PR EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
L	21466	2-1/4"	12"
M	21430	2-1/4"	8"
S	21467	2-1/4"	4"

The large size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Through bolting is standard.

Surface mounting available upon request.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21430 Privacy Flush Pull - Exterior



PR EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
L	21466	2-1/4"	12"
M	21430	2-1/4"	8"
S	21467	2-1/4"	4"

The medium size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Surface mounting is standard.

Through bolting is not available with 2002 model locks.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21467 Passage Flush Pull



PR EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
L	21466	2-1/4"	12"
M	21430	2-1/4"	8"
S	21467	2-1/4"	4"

The small flush pull can be used on doors 1-3/8" thick or greater.

- Passage function only

Surface mounting only.

When paired with a model 2000 edge pull, the flush pull should be offset from the edge pull body.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21546 Entry Flush Pull - Exterior



MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21546	2-1/4"	12"
M	21510	2-1/4"	8"
S	21547	2-1/4"	4"

The large size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Through bolting is standard.

Surface mounting available upon request.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21510 Passage Flush Pull



MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21546	2-1/4"	12"
M	21510	2-1/4"	8"
S	21547	2-1/4"	4"

The medium size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Surface mounting is standard.

Through bolting is not available with 2002 model locks.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



21547 Passage Flush Pull



MN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	21546	2-1/4"	12"
M	21510	2-1/4"	8"
S	21547	2-1/4"	4"

The small flush pull can be used on doors 1-3/8" thick or greater.

- Passage function only

Surface mounting only.

When paired with a model 2000 edge pull, the flush pull should be offset from the edge pull body.

All escutcheons made to order.



WATER STREET

LAKEWOOD NEW YORK



216C46 Privacy Flush Pull - Exterior




KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	216*46	2-1/4"	12"
M	216*10	2-1/4"	8"
S	216*47	2-1/4"	4"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The large size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Through bolting is standard.

Surface mounting available upon request.

All escutcheons made to order.



WATER STREET

LAKEWOOD NEW YORK



216C10 Passage Flush Pull



COIN



DIAMOND




ROPE


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	216*46	2-1/4"	12"
M	216*10	2-1/4"	8"
S	216*47	2-1/4"	4"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The medium size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Surface mounting is standard.

Through bolting is not available with 2002 model locks.

All escutcheons made to order.



WATER STREET

LAKEWOOD NEW YORK



216C47 Passage Flush Pull



COIN



DIAMOND




ROPE


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	216*46	2-1/4"	12"
M	216*10	2-1/4"	8"
S	216*47	2-1/4"	4"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The small flush pull can be used on doors 1-3/8" thick or greater.

- Passage function only

Surface mounting only.

When paired with a model 2000 edge pull, the flush pull should be offset from the edge pull body.

All escutcheons made to order.



WATER STREET

LAKEWOOD NEW YORK



COIN




DIAMOND



ROPE


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



L

M

S

KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	216*66	2-1/4"	12"
M	216*11	2-1/4"	8"
S	216*67	2-1/4"	4"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The large size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Through bolting is standard.

Surface mounting available upon request.

All escutcheons made to order.

216C66 Privacy Flush Pull - Interior



WATER STREET

LAKEWOOD NEW YORK



216C11 Passage Flush Pull



COIN



DIAMOND



ROPE


KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - ARCH PROFILE

Size	Part Number	Width	Height
L	216*66	2-1/4"	12"
M	216*11	2-1/4"	8"
S	216*67	2-1/4"	4"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The medium size flush pull can be used on doors 1-3/8" thick or greater.

Functions include:

- Entry, 1-3/4" thick door or greater
- Privacy or patio
- Passage

Surface mounting is standard.

Through bolting is not available with 2002 model locks.

All escutcheons made to order.



WATER STREET

LAKEWOOD NEW YORK



216C67 Passage Flush Pull



COIN




DIAMOND



ROPE



KN Coin Edge Detail



KN Diamond Edge Detail



KN Rope Edge Detail



KN EDGE DETAIL - SQUARE PROFILE

Size	Part Number	Width	Height
L	216*66	2-1/4"	12"
M	216*11	2-1/4"	8"
S	216*67	2-1/4"	4"

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

The small flush pull can be used on doors 1-3/8" thick or greater.

- Passage function only

Surface mounting only.

When paired with a model 2000 edge pull, the flush pull should be offset from the edge pull body.

All escutcheons made to order.




WATER STREET

LAKEWOOD NEW YORK



ENTRY HANDLES



Part Number	A	B	C	D
7370	8"	2-3/8"	8-15/16"	15/16"
7371	12"	2-1/2"	12-15/16"	15/16"
7390	18"	2-7/16"	18-15/16"	15/16"

Pricing Tier I

Custom escutcheons required for entrance pulls over 8" center to center.

Due to differences in mounting hardware, when ordering pulls - specify the function for which they are intended. (Entrance handle, pull plate or back to back.)




WATER STREET

LAKEWOOD NEW YORK



ENTRY HANDLES



Part Number	A	B	C	D
7370.B	8"	2-3/8"	8-15/16"	15/16"
7371.B	12"	2-1/2"	12-15/16"	15/16"
7390.B	18"	2-7/16"	18-15/16"	15/16"

Pricing Tier II

Custom escutcheons required for entrance pulls over 8" center to center.

Due to differences in mounting hardware, when ordering pulls - specify the function for which they are intended. (Entrance handle, pull plate or back to back.)




WATER STREET

LAKEWOOD NEW YORK



ENTRY HANDLES



Part Number	A	B	C	D
7370.*	8"	2-3/8"	8-15/16"	15/16"
7371.*	12"	2-1/2"	12-15/16"	15/16"
7390.*	18"	2-7/16"	18-15/16"	15/16"

Pricing Tier II

*Insert code for knurl pattern:

C = Coin D = Diamond R = Rope

Custom escutcheons required for entrance pulls over 8" center to center.

Due to differences in mounting hardware, when ordering pulls - specify the function for which they are intended. (Entrance handle, pull plate or back to back.)




WATER STREET

LAKEWOOD NEW YORK



ENTRY HANDLES



Part Number	A	B	C	D
7375	8"	2"	9-1/16"	1-1/16"
7376	12"	2-1/16"	13-1/8"	1-1/8"
7393	18"	2-1/4"	19-1/4"	1-1/4"

Pricing Tier I

Custom escutcheons required for entrance pulls over 8" center to center.

Due to differences in mounting hardware, when ordering pulls - specify the function for which they are intended. (Entrance handle, pull plate or back to back.)




WATER STREET

LAKEWOOD NEW YORK



ENTRY HANDLE



Part Number	A	B	C	D
7401	8"	2-1/2"	9"	1-1/4"


Pricing Tier I

Due to differences in mounting hardware, when ordering pulls - specify the function for which they are intended.
(Entrance handle or pull plate)




WATER STREET

LAKEWOOD NEW YORK



ENTRY HANDLE



Part Number	A	B	C	D
7404	8"	2-1/4"	8-7/8"	1-1/4"

Pricing Tier I

Due to differences in mounting hardware, when ordering pulls - specify the function for which they are intended. (Entrance handle, pull plate or back to back.)




WATER STREET

LAKEWOOD NEW YORK



ENTRY HANDLE



Part Number	A	B	C	D
7404SS	8"	2-3/16"	8-7/8"	1-1/4"


Pricing Tier I

Due to differences in mounting hardware, when ordering pulls - specify the function for which they are intended. (Entrance handle, pull plate or back to back.)




WATER STREET

LAKEWOOD NEW YORK



ENTRY HANDLE



Part Number	A	B	C	D
7430	8"	2-3/32"	8-7/8"	1-1/4"

Pricing Tier I

Due to differences in mounting hardware, when ordering pulls - specify the function for which they are intended. (Entrance handle, pull plate or back to back.)




WATER STREET

LAKEWOOD NEW YORK



ENTRY HANDLES



Part Number	A	B	C	D
7513	8"	5/8"	1-7/8"	13/16"
7515	12"	5/8"	1-7/8"	13/16"
7516	18"	5/8"	1-7/8"	13/16"

Pricing Tier I

Custom escutcheons required for entrance pulls over 8" center to center.

Due to differences in mounting hardware, when ordering pulls - specify the function for which they are intended. (Entrance handle, pull plate or back to back.)




WATER STREET

LAKEWOOD NEW YORK



ENTRY HANDLES



Part Number	A	B	C	D
7813	8"	7/8"	2-3/8"	1"
7815	12"	7/8"	2-3/8"	1"
7816	18"	7/8"	2-3/8"	1"

Pricing Tier I

Custom escutcheons required for entrance pulls over 8" center to center.

Due to differences in mounting hardware, when ordering pulls - specify the function for which they are intended. (Entrance handle, pull plate or back to back.)



WATER STREET


LAKEWOOD NEW YORK



22000 OVAL THUMB TURN

20018A MORTISE BOLT
TRIM PLATE

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

LAKEWOOD NEW YORK

SECTIONAL TRIM



MORTISE CYLINDER COLLAR

Shown: 20014C 2-1/8" cylinder collar
CYL Mortise cylinder - length determined at time of order



THUMB TURN ASSEMBLY

Shown: 22000 Thumb turn
20018A Mortise bolt trim plate



EMERGENCY EGRESS

Shown: 22005 Emergency egress button
20018B Emergency egress trim plate



EMERGENCY EGRESS

Shown: 22005 Emergency egress button
20046 Emergency egress tap-in collar



TUBULAR DEADBOLT TRIM

Exterior trim shown:
20015T Tubular deadbolt collar
CYL Deadbolt cylinder with blocking ring



Interior trim shown:
20015T Tubular deadbolt collar with interior mounting ring
22000 Thumb turn




WATER STREET

LAKEWOOD NEW YORK



22010 THUMB TURN
20042A MORTISE BOLT
TRIM PLATE

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

LAKEWOOD NEW YORK

SECTIONAL TRIM



MORTISE CYLINDER COLLAR

Shown: 20040C 2-3/16" x 2-3/16" cylinder collar
CYL Mortise cylinder - length determined at time of order



THUMB TURN ASSEMBLY

Shown: 22010 Thumb turn
20042A 1-3/8" x 2" mortise bolt trim plate
Surface mount screws



EMERGENCY EGRESS

Shown: 22005 Emergency egress button
20042B 1-3/8" x 2" emergency egress trim plate
Surface mount screws



EMERGENCY EGRESS

Shown: 22005 Emergency egress button
20046 Emergency egress tap-in collar



TUBULAR DEADBOLT TRIM

Exterior trim shown:
20041T 2-9/16" x 2-9/16" tubular deadbolt collar
CYL Deadbolt cylinder with cylinder blocking ring



Interior trim shown:
20041T 2-9/16" x 2-9/16" tubular deadbolt collar with interior mounting ring
22010 Thumb turn




WATER STREET

LAKWOOD NEW YORK



22011 THUMB TURN
20077A MORTISE BOLT
TRIM PLATE

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

LAKEWOOD NEW YORK

SECTIONAL TRIM



MORTISE CYLINDER COLLAR

Shown: 20072C 2-1/2" x 2-1/2" cylinder collar
CYL Mortise cylinder - length determined at time of order



THUMB TURN ASSEMBLY

Shown: 22011 Thumb turn
20077A 1-3/8" x 2" mortise bolt trim plate
Surface mount screws



EMERGENCY EGRESS

Shown: 22006 Emergency egress button
20077B 1-3/8" x 2" emergency egress trim plate
Surface mount screws



EMERGENCY EGRESS

Shown: 22006 Emergency egress button
20046 Emergency egress tap-in collar



TUBULAR DEADBOLT TRIM

Exterior trim shown:
20072T 2-1/2" x 2-1/2" tubular deadbolt collar
CYL Deadbolt cylinder with blocking ring



Interior trim shown:
20072T 2-1/2" x 2-1/2" tubular deadbolt collar with interior mounting ring
22011 Thumb turn




WATER STREET

LAKEWOOD NEW YORK



22004 OVAL THUMB TURN
20038A MORTISE BOLT TRIM PLATE

Made to order. Custom sizes available.
Lead times and pricing upon request.





WATER STREET

LAKEWOOD NEW YORK

SECTIONAL TRIM



MORTISE CYLINDER COLLAR

Shown: 20035C 2" cylinder collar
CYL Mortise cylinder - length determined at time of order



THUMB TURN ASSEMBLY

Shown: 22004 Thumb turn
20038A 1-5/8" x 1-5/8" mortise bolt trim plate
Surface mount screws



EMERGENCY EGRESS

Shown: 22006 Emergency egress button
20038B 1-5/8" x 1-5/8" emergency egress trim plate
Surface mount screws



EMERGENCY EGRESS

Shown: 22006 Emergency egress button
20046 Emergency egress tap-in collar



TUBULAR DEADBOLT TRIM

Exterior trim shown:
20036T 2-1/2" x 2-1/2" tubular deadbolt collar
CYL Deadbolt cylinder with blocking ring



Interior trim shown:
20036T 2-1/2" x 2-1/2" tubular deadbolt collar with interior mounting ring
22004 Thumb turn




WATER STREET

LAKEWOOD NEW YORK



22004 OVAL THUMB TURN
20032A MORTISE BOLT
TRIM PLATE

Made to order. Custom sizes available.
Lead times and pricing upon request.



SECTIONAL TRIM



MORTISE CYLINDER COLLAR

Shown: 20030C 2" cylinder collar
20016 Mortise cylinder blocking ring
CYL Mortise cylinder - length determined at time of order



THUMB TURN ASSEMBLY

Shown: 22004 Thumb turn
20032A Mortise bolt trim plate
Installed on hidden mounting plate; no exposed screws



EMERGENCY EGRESS

Shown: 22005 Emergency egress button
20032B Emergency egress trim plate
Installed on hidden mounting plate; no exposed screws



EMERGENCY EGRESS

Shown: 22005 Emergency egress button
20046 Emergency egress tap-in collar



TUBULAR DEADBOLT TRIM

Exterior trim shown:
20031T Tubular deadbolt collar
CYL Deadbolt cylinder with blocking ring



Interior trim shown:
20031T Tubular deadbolt collar with interior mounting ring
22004 Thumb turn



WATER STREET


LAKEWOOD NEW YORK



22004 OVAL THUMB TURN
20032A.* MORTISE BOLT
TRIM PLATE

*Insert Code for knurl pattern
C = Coin D = Diamond R = Rope

Made to order. Custom sizes available.
Lead times and pricing upon request.



SECTIONAL TRIM



MORTISE CYLINDER COLLAR

Shown: 20030C-* Knurled 2" cylinder collar
20016 Mortise cylinder blocking ring
CYL Mortise cylinder - length determined at time of order



THUMB TURN ASSEMBLY

Shown: 22004 Thumb turn
20032A-* Knurled mortise bolt trim plate
Installed on hidden mounting plate; no exposed screws



EMERGENCY EGRESS

Shown: 22005 Emergency egress button
20032B-* Knurled emergency egress trim plate
Installed on hidden mounting plate; no exposed screws



EMERGENCY EGRESS

Shown: 22005 Emergency egress button
20046 Emergency egress tap-in collar



TUBULAR DEADBOLT TRIM

Exterior trim shown:
20031T-* Knurled tubular deadbolt collar
CYL Deadbolt cylinder with blocking ring



Interior trim shown:
20031T-* Knurled tubular deadbolt collar with interior deadbolt trim
22004 Thumb turn

*Insert Code for knurl pattern
C = Coin D = Diamond R = Rope




WATER STREET

LAKEWOOD NEW YORK



22009 THUMB TURN
20052A MORTISE BOLT
TRIM PLATE

Made to order. Custom sizes available.
Lead times and pricing upon request.



SECTIONAL TRIM



MORTISE CYLINDER COLLAR

Shown: 20050C 1-3/4" x 1-3/4" cylinder collar
CYL Mortise cylinder - length determined at time of order



THUMB TURN ASSEMBLY

Shown: 22009 Thumb turn
20052A 1-1/8" x 1-3/4" mortise bolt trim plate
Surface mount screws



EMERGENCY EGRESS

Shown: 22006 Emergency egress button
20052B 1-1/8" x 1-3/4" emergency egress trim plate
Surface mount screws



EMERGENCY EGRESS

Shown: 22006 Emergency egress button
20046 Emergency egress tap-in collar



TUBULAR DEADBOLT TRIM

Exterior trim shown:
20051T 2-1/2" x 2-1/2" tubular deadbolt collar
CYL Deadbolt cylinder with blocking ring



Interior trim shown:
20051T 2-1/2" x 2-1/2" tubular deadbolt collar with interior mounting ring
22009 Thumb turn




WATER STREET

LAKEWOOD NEW YORK



22046 ANCHOR THUMB TURN
20032A MORTISE BOLT
TRIM PLATE


Made to order. Custom sizes available.
Lead times and pricing upon request.





22044 OVAL THUMB TURN
 20042A MORTISE BOLT TRIM PLATE

Made to order. Custom sizes available.
 Lead times and pricing upon request.






WATER STREET

LAKEWOOD NEW YORK



22061 THUMB TURN
20042A MORTISE BOLT
TRIM PLATE

Made to order. Custom sizes available.
Lead times and pricing upon request.






8531-* **KNOB / THUMB TURN**
20032A-* **MORTISE BOLT**
 TRIM PLATE - KNURLED

*Insert Code for knurl pattern
 C = Coin D = Diamond R = Rope

Modified cabinet knobs made to order.
 Inquire with customer service for lead times
 and pricing.





Rev. 2021



WATER STREET


JAMESTOWN NEW YORK



**29510 3" X 3" HINGE -
ARCHITECTURAL
SQUARE CORNERS**

7/16" FINIALS

Made to order.
Lead time 4 - 6 weeks.





WATER STREET

JAMESTOWN NEW YORK




AC FINIAL SHOWN

**29520 3-1/2" X 3-1/2" HINGE -
ARCHITECTURAL
SQUARE CORNERS**

1/2" FINIALS

Made to order.
Lead time 4 - 6 weeks.





WATER STREET


JAMESTOWN NEW YORK



**29540 3-1/2" X 3-1/2" HINGE -
RESIDENTIAL
SQUARE CORNERS**

1/2" FINIALS

Made to order.
Lead time 4 - 6 weeks.





WATER STREET

JAMESTOWN NEW YORK




AC FINIAL SHOWN

**29550 3-1/2" X 3-1/2" HINGE -
ARCHITECTURAL
1/4" RADIUS CORNERS**

1/2" FINIALS


Made to order.
Lead time 4 - 6 weeks.





29560 3-1/2" X 3-1/2" HINGE -
RESIDENTIAL
1/4" RADIUS CORNERS
1/2" FINIALS

Made to order.
Lead time 4 - 6 weeks.





WATER STREET

JAMESTOWN NEW YORK




AC FINIAL SHOWN

**29570 3-1/2" X 3-1/2" HINGE -
ARCHITECTURAL
5/8" RADIUS CORNERS**

1/2" FINIALS

Made to order.
Lead time 4 - 6 weeks.





WATER STREET

JAMESTOWN NEW YORK




AC FINIAL SHOWN

29580 3-1/2" X 3-1/2" HINGE -
RESIDENTIAL
5/8" RADIUS CORNERS

1/2" FINIALS

Made to order.
Lead time 4 - 6 weeks.





WATER STREET

JAMESTOWN NEW YORK




AC FINIAL SHOWN

**29590 4" X 4" HINGE -
ARCHITECTURAL
SQUARE CORNERS**

1/2" FINIALS

Made to order.
Lead time 4 - 6 weeks.





WATER STREET

JAMESTOWN NEW YORK




AC FINIAL SHOWN

**29610 4" X 4" HINGE -
ARCHITECTURAL
5/8" RADIUS CORNERS

1/2" FINIALS**


Made to order.
Lead time 4 - 6 weeks.





29620 4" X 4" HINGE -
RESIDENTIAL
5/8" RADIUS CORNERS
1/2" FINIALS

Made to order.
Lead time 4 - 6 weeks.





WATER STREET

JAMESTOWN NEW YORK




AC FINIAL SHOWN

**29630 4-1/2" X 4-1/2" HINGE -
ARCHITECTURAL
SQUARE CORNERS**

1/2" FINIALS

Made to order.
Lead time 4 - 6 weeks.





WATER STREET


JAMESTOWN NEW YORK



**29650 5" X 5" HINGE -
ARCHITECTURAL
SQUARE CORNERS**

1/2" FINIALS

Made to order.
Lead time 4 - 6 weeks.





WATER STREET

JAMESTOWN NEW YORK




29717L 4-1/2" X 4-1/2" SQUARE
KNUCKLE HINGE
LEFT HAND

29717R 4-1/2" X 4-1/2" SQUARE
KNUCKLE HINGE
RIGHT HAND

Lift off hinges - handing required.

Made to order.

Manufactured in Jamestown, NY.





WATER STREET
JAMESTOWN NEW YORK

FINIAL SELECTION



FL
TIER I



DM
TIER II



BA
TIER II



OG
TIER II



ST
TIER II



AC
TIER II



DB
TIER II



DB.C
TIER III



DB.D
TIER III



DB.R
TIER III



UR
TIER II



PR
TIER II



PR.C
TIER III



PR.D
TIER III



PR.R
TIER III



SC
TIER II



SC.C
TIER III



SC.D
TIER III

HOW TO ORDER YOUR DOOR HINGES AND FINIALS

To order, specify the hinge number then the desired finial.

Example: 29510-FL

The finial will determine the pricing tier for the hinge assembly.

Hinges come assembled with finials and screws finished to match.

Wood screws are standard. Specify machine screws for metal doors on order.




WATER STREET

LAKEWOOD NEW YORK



26007 DOOR BELL ASSEMBLY
Assembly includes: trim plate,
door bell button and screws.

Made to order. Custom sizes available.
Lead times and pricing upon request.



JS EDGE DETAIL




WATER STREET

LAKEWOOD NEW YORK



26008 DOOR BELL ASSEMBLY
Assembly includes: trim plate,
door bell button and screws.

Made to order. Custom sizes available.
Lead times and pricing upon request.



JS EDGE DETAIL



WATER STREET


LAKEWOOD NEW YORK



26009 DOOR BELL ASSEMBLY

Assembly includes: trim plate,
door bell button and screws.

Made to order. Custom sizes available.
Lead times and pricing upon request.



TR EDGE DETAIL




WATER STREET

LAKEWOOD NEW YORK



26010 DOOR BELL ASSEMBLY
Assembly includes: trim plate,
door bell button and screws.

Made to order. Custom sizes available.
Lead times and pricing upon request.



HD EDGE DETAIL




WATER STREET

LAKEWOOD NEW YORK



26011 DOOR BELL ASSEMBLY
Assembly includes: trim plate,
door bell button and screws.

Made to order. Custom sizes available.
Lead times and pricing upon request.



PR EDGE DETAIL




WATER STREET

LAKEWOOD NEW YORK



26012 DOOR BELL ASSEMBLY
Assembly includes: trim plate,
door bell button and screws.

Made to order. Custom sizes available.
Lead times and pricing upon request.



PR EDGE DETAIL




WATER STREET

LAKEWOOD NEW YORK



26013 DOOR BELL ASSEMBLY
Assembly includes: trim plate,
door bell button and screws.

Made to order. Custom sizes available.
Lead times and pricing upon request.



MN EDGE DETAIL



WATER STREET

LAKEWOOD NEW YORK




26014* DOOR BELL ASSEMBLY

Assembly includes: trim plate,
door bell button and screws.

*Insert code for edge knurl pattern:
C = Coin D = Diamond R = Rope

Made to order. Custom sizes available.
Lead times and pricing upon request.



KN EDGE DETAIL




WATER STREET
LAKEWOOD NEW YORK



**22023 FLOOR MOUNTED
DOOR STOP**

*Additional heights available.
Made to order.
Lead times and pricing upon request.







WATER STREET

LAKEWOOD NEW YORK



- 22026 FLOOR MOUNTED
DOOR STOP
- 22026.C COIN DOOR STOP
- 22026.D DIAMOND DOOR STOP
- 22026.R ROPE DOOR STOP

*Additional heights available.
Made to order.
Lead times and pricing upon request.






WATER STREET
LAKEWOOD NEW YORK



**22050 FLOOR MOUNTED
DOOR STOP**

*Additional heights available.
Made to order.
Lead times and pricing upon request.






WATER STREET
LAKEWOOD NEW YORK



**22052 FLOOR MOUNTED
DOOR STOP**

*Additional heights available.
Made to order.
Lead times and pricing upon request.






WATER STREET
LAKEWOOD NEW YORK



**22053 FLOOR MOUNTED
DOOR STOP**

*Additional heights available.
Made to order.
Lead times and pricing upon request.





WATER STREET

LAKEWOOD NEW YORK

LOCKS & LATCHES





TABLE OF CONTENTS

9000 9100 Mortise Locks	LL2 - LL3
8700 8800 Mortise Locks - Narrow Backsets	LL4 - LL5
9800 Mortise Latches	LL6 - LL7
Pocket Door Locks & Edge Pulls	LL8 - LL9
7200 9500 Mortise Deadlocks	LL10 - LL11
Tubular Latches, Locks & Strikes	LL12 - LL13


Water Street Brass door hardware is designed to work with both mortise and tubular locks and latches.

We feature Accurate mortise locks, The following pages feature our recommended locks and latches but we are happy to provide any lock in the Accurate catalog . We can modify our hardware to work with many other lock manufacturers as well.

9000 | 9100 MORTISE LOCKS

Exterior	Interior	Description
ENTRANCE		
	67 Series	Entrance or apartment lock Cylinder exterior x thumb turn interior <ul style="list-style-type: none"> • Thumbpiece x thumbpiece • Thumbpiece x lever/knob • Lever/knob x lever/knob Latch bolt, dead bolt, toggle exterior lock function and auxiliary anti-manipulation latch Exterior remains locked unless unlocked by toggle
	69 Series	Exterior remains unlocked unless locked by toggle (TP x TP not available)
	48 Series	Entrance or apartment lock - less auxiliary latch Exterior remains locked unless unlocked by toggle
	49 Series	Entrance or apartment lock - less auxiliary latch Exterior remains unlocked unless locked by toggle (TP x TP not available)
	24 Series	Entrance, storeroom or dormitory - less toggle function and auxiliary latch
STOREROOM & STORE DOOR		
	59 Series	Storeroom or closet locks Cylinder exterior only <ul style="list-style-type: none"> • Fixed thumbpiece x active thumbpiece • Fixed thumbpiece x active lever/knob • Fixed lever/knob x active lever/knob Latch bolt and auxiliary anti-manipulation latch
	24 Series	Storeroom function dead bolt and latch bolt Cylinder exterior only, lever not fixed Interior lever automatically retracts dead bolt and latch bolt
	22 Series	Store door lock Cylinder exterior and interior, exterior lever not fixed <ul style="list-style-type: none"> • Lever/knob x lever/knob
PRIVACY		
	39 Series	Bedroom or bathroom locks Emergency egress exterior, thumb turn interior <ul style="list-style-type: none"> • Thumbpiece x thumbpiece • Thumbpiece x lever/knob • Lever/knob x lever/knob Latch bolt and dead bolt
PASSAGE		
	25 Series	Passage or closet locks <ul style="list-style-type: none"> • Thumbpiece x thumbpiece • Thumbpiece x lever/knob • Lever/knob x lever/knob Latch bolt only

9000 | 9100 MORTISE LOCKS



The Accurate 9000/9100 series locks are the industry standard for security and reliability. Commonly used for exterior or interior applications, these locks can be configured for most commercial and home requirements.

Features include:

- Security dead bolt with a hardened steel insert
- Dead bolt and latch bolt available in brass or chrome to coordinate with trim
- Works with levers, knobs or thumbpiece applications
- A wide range of backsets: 2-1/2", 2-3/4", 3-3/4", 5" and 6".
- Custom backsets available
- Can be configured for upside down (lever high)
- Electrification functions available. Specify Fail Safe or Fail Secure
- Marine grades are available.


The 9100 series lock is used on all doors 1-3/4" thick or more. Use the 9000 series lock on doors from 1-3/8" to 1-5/8" thick.

Each lock comes with a dust box, a finished face plate, strike plate and associated screws. You have the option to buy these items separately as well.

Extended lip strikes or rabbeted strike and face plates are available. See **Forms & Supplements** for ordering work sheets.


8700 | 8800 MORTISE LOCKS

Exterior Interior Description




ENTRANCE

- 48 Series Entrance or apartment lock
Cylinder exterior x thumb turn interior
- Thumbpiece x lever/knob - custom priced on application
 - Lever/knob x lever/knob
- Latch bolt, dead bolt, toggle exterior lock function
Exterior remains locked unless unlocked by toggle
- 49 Series Entrance or apartment lock
Exterior remains unlocked unless locked by toggle
- 24 Series Entrance, storeroom or dormitory - less toggle function




STOREROOM & STORE DOOR

- 59 Series Storeroom or closet locks
Cylinder exterior only
- Fixed thumbpiece x active lever/knob - custom priced on application
 - Fixed lever/knob x active lever/knob
- Latch bolt and auxiliary anti-manipulation latch
- 24 Series Storeroom function dead bolt and latch bolt
Cylinder exterior only, lever not fixed
Interior lever automatically retracts dead bolt and latch bolt
- 22 Series Store door lock
Cylinder exterior and interior
- Active Lever/knob x active lever/knob



PRIVACY


- 39 Series Bedroom or bathroom locks
Emergency egress exterior, thumb turn interior
- Thumbpiece x lever/knob - custom priced on application
 - Lever/knob x lever/knob
- Latch bolt and dead bolt



PASSAGE

- 25 Series Passage or closet locks
- Thumbpiece x lever/knob - custom priced on application
 - Lever/knob x lever/knob
- Latch bolt only

8700 | 8800 MORTISE LOCKS



The Accurate 8700 | 8800 series locks are intended for doors with narrow backset requirements and feature most of the functions of the 9000 | 9100 locks. Commonly used for exterior or interior applications, these locks can be configured for most commercial and home requirements.

Features include:



- Security dead bolt with a hardened steel insert
- Dead bolt and latch bolt available in brass or chrome to coordinate with trim
- Works with levers x lever or knob x knob applications
- Thumbpiece x lever or knob available - custom priced on application
- Available backsets: 1-1/2", 1-3/4", 2" and 2-1/4"
- Can be configured for upside down (lever high)
- Electrification function (Fail Secure only) is available

The 8800 series lock is used on all doors 1-3/4" thick or more. Use the 8700 series lock on doors from 1-3/8" to 1-5/8" thick.


Each lock comes with a dust box, a finished face plate, strike plate and associated screws. You have the option to buy these items separately as well.

Extended lip strikes or rabbeted strike and face plates are available. See **Forms & Supplements** for ordering work sheets.

9800 MORTISE LOCKS

Exterior	Interior	Description
<hr/>		
PRIVACY		
	39 Series	Bedroom or bathroom locks
		Emergency egress exterior, thumb turn interior
		<ul style="list-style-type: none">• Lever/knob x lever/knob
		Latch bolt and dead bolt
<hr/>		
PASSAGE		
	25 Series	Passage or closet locks
		<ul style="list-style-type: none">• Lever/knob x lever/knob
		Latch bolt only
<hr/>		

9800 MORTISE LATCHES



The Accurate 9800 series mortise locks are our standard recommended interior door latches. They provide superior performance, security and reliability to tubular latches on solid interior doors.

Features include:

- Available with $2\text{-}1/2"$ or $2\text{-}3/4"$ backset
- Dead bolt and latch bolt available in brass or stainless steel to coordinate with trim
- Levers or knob functions
- Greater hub spacing allows for use of larger or oval knobs without interfering with thumb turn
- Works with sectional or escutcheon trim
- Privacy function can be configured with thumb turn or bit key

The same functions are available with the 9500 series locks, which feature a smaller lock body. The spindle to thumb turn / bit key spacing is $2\text{-}1/4"$ which can be tight with larger trim options.

Each lock comes with a dust box, a finished face plate, strike plate and associated screws. You have the option to buy these items separately as well.

Extended lip strikes or rabbeted strike and face plates are available. See **Forms & Supplements** for ordering work sheets.

POCKET DOOR LOCKS AND EDGE PULLS

Exterior Interior Description

ENTRY



2002 Lock

Full security pocket door
1-3/4" thick door minimum
Mortise cylinder exterior x low profile thumb turn interior
Can be used on single door or on a two door set
Lock and thumb turn x passage on second door
Edge pull function for both doors


PRIVACY



2002 Lock

Locking pocket door
1-3/8" thick door minimum
Emergency egress exterior x low profile thumb turn interior
Can be used on single door or on a two door set
Emergency egress and thumb turn x passage on second door
Edge pull function for both doors

PASSAGE




2000 Edge Pull

Non-locking pocket door
1-3/8" thick door minimum
Flush pulls on both sides of door
Can be used on single door or on a two door set
Edge pull function for both doors

1/8" of clearance on each side of the door is required for the doors to fully recess the into the wall pockets. Only Manor collection flush pull plates can be fully recessed into the door surface; 1-3/4" door or larger required.


Special jamb liners are available for doors where this clearance is not available.

2000 EDGE PULL



The Accurate 2000 edge pull can be used on any pocket door over 1-3/8" thick.

2002 POCKET DOOR LOCK & EDGE PULL




The Accurate 2002 combination door lock and edge pull can be used on any pocket door 1-3/4" or thicker. The lock combines privacy and full locking capabilities with an enclosed edge pull for easy door extraction.

MORTISE DEADLOCKS

Exterior	Interior	Description
ENTRY		
		Key exterior x thumb turn interior
	7203	2-1/2" or 2-3/4" backsets
	9503	2-1/2", 2-3/4", 3-3/4", 5" or 6" backsets
STOREROOM FUNCTION		
		Key exterior only
	7201	2-1/2" or 2-3/4" backsets
	9501	2-1/2", 2-3/4", 3-3/4", 5" or 6" backsets
CYLINDER X CYLINDER		
		Key exterior x key interior
	7202	2-1/2" or 2-3/4" backsets
	9502	2-1/2", 2-3/4", 3-3/4", 5" or 6" backsets
PATIO		
		Thumb turn interior only
	7204	2-1/2" or 2-3/4" backsets
	9504	2-1/2", 2-3/4", 3-3/4", 5" or 6" backsets
PRIVACY		
		Emergency egress exterior x thumb turn interior
	7205	2-1/2" or 2-3/4" backsets
	9505	2-1/2", 2-3/4", 3-3/4", 5" or 6" backsets

Mortise deadbolts can be used alone or in conjunction with mortise or tubular latches. The security functions work independently of any latch mechanism.


7200 DEADLOCK



This deadlock can be used for any of the security functions.

- Available backsets: 2-1/2" or 2-3/4"
- Dead bolt available in brass or stainless steel to coordinate with the trim finish

9500 DEADLOCK




This deadlock offers all the security functions with a wider range of backset options. The larger lock body and face plate mandate 5-1/2" or greater spacing between the latch and the mortise cylinder. Confirm this spacing prior to ordering.

- Standard backsets: 2-1/2" or 2-3/4"
- Available with 3-3/4", 5" or 6" backsets
- Dead bolt available in brass or stainless steel to coordinate with the trim finish


TUBULAR LATCHES, LOCKS & STRIKES

Description




PASSAGE LATCH

TPSK238	Knob, 2-3/8" backset
TPSK234	Knob, 2-3/4" backset
TPSL238	Lever, 2-3/8" backset
TPSL234	Lever, 2-3/4" backset




PRIVACY PIN LATCH

TPRK238	Knob, 2-3/8" backset
TPRK234	Knob, 2-3/4" backset
TPRL238	Lever, 2-3/8" backset
TPRL234	Lever, 2-3/4" backset




MORTISE BOLT

TMB238	Privacy bolt, 2-3/8" backset
TMB234	Privacy bolt, 2-3/4" backset



AUXILIARY DEADBOLT

TDB238	Deadbolt, 2-3/8" backset
TDB234	Deadbolt, 2-3/4" backset




T-STRIKE

TLS138	1-3/8" to 1-3/4" thick doors	LTC = 1-3/8"
TLS112	1-5/8" to 2" thick doors	LTC = 1-1/2"
TLS134	2-1/4" thick door	LTC = 1-3/4"
TLS200	2-1/2" thick door	LTC = 2"
TLS214	2-3/4" thick door	LTC = 2-1/4"

LTC - Lip to center of latch bolt

Custom strikes available - consult our customer service department




FULL LIP STRIKE

FLS118	1-3/8" to 1-3/4" thick doors	LTC = 1-1/8"
FLS112	1-5/8" to 2" thick doors	LTC = 1-1/2"
FLS134	2-1/4" thick door	LTC = 1-3/4"
FLS200	2-1/2" thick door	LTC = 2"
FLS214	2-3/4" thick door	LTC = 2-1/4"

LTC - Lip to center of latch bolt



Custom strikes available - consult our customer service department

TUBULAR LATCHES, LOCKS & STRIKES



PRIVACY LATCH

Comes with finished privacy pin, face plate, and screws.



MORTISE BOLT


Comes with finished face plate, strike plate and screws.

Dust box also included.


DEADBOLT

Comes with finished face plate, strike plate and screws. An additional solid steel strike plate with extended screws is included for added security.

Dust box also included.




LATCH T-STRIKE



Standard for solid wooden door jambs.
Extended lip size determined by door or jamb thickness over 1-3/4".
Custom sizes available upon request.

LATCH FULL LIP STRIKE



Pre-bored and most metal door jambs.
Extended lip size determined by door or jamb thickness over 1-3/4".
Custom sizes available upon request.

PVD, POWDERCOAT & SILVER UPCHARGES

	Powdercoat Lead Times	PVD Lead Times
Door Hardware:	8 - 12 Weeks	14 - 16 Weeks
Cabinet Hardware:	4 - 8 Weeks	8 - 10 Weeks

PVD COSTING

Orders under \$6,000 list price; add a \$3,000 lot charge.

Orders over \$6,000, add an additional 50% to the list price.

Refer to Finish Guide for more information on PVD Finishes

POWDERCOAT COSTING

There is **no upcharge** for matte black powdercoat. For all other colors:

Orders under \$5,000 list price, add a \$1,000 setup charge to the order.

Orders over \$5,000 list price, add 20% to the list price.

Multiple pieces / sets can be combined to reach the setup charge as long as they are all the same powdercoat finish.

Refer to Finish Guide for more information on Powdercoat Finishes

SILVER FINISHES COSTING

There is a flat 20% upcharge on set pricing for all silver finishes. These include PS - Polished Silver, AS - Antique Silver and SS - Satin Silver.

WATER STREET BRASS HARDWARE SCHEDULE



CUSTOMER NAME OR ID:
PROJECT NAME:
PROJECT CONTACT:
DATE:

QUOTE OR ORDER:
REFERENCE NUMBER:
DELIVERY ADDRESS:

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF WATER STREET
BRASS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF
WATER STREET BRASS IS PROHIBITED.

[illegible]

ADDITIONAL NOTES:

SUBTOTAL:



WATER STREET.
JAMESTOWN NEW YORK

MULTIPOINT ORDER INFORMATION


Before we can process your multipoint order, you will need to fill out a multipoint check sheet.

In all cases, it is important that you verify all measurements prior to ordering your hardware. The following configurations are considered standard for manufacturing purposes, but your door specifications may differ.

If none of the configurations match your door, fill in the required custom information and we can match your door specifications precisely.


PROFILE CYLINDER (EUROPEAN) MULTIPOINT LOCK

CONFIGURATION 1




Typical for doors where the through bolt spacing exceeds 8 inches.

CONFIGURATION 2



Typical for Hoppe profile cylinder locks.

CUSTOM



Match your existing hardware.

Note: Lock body may differ in appearance

Door Manufacturer _____ Spindle to Through Bolt _____

Lock Manufacturer _____ Spindle to Cylinder _____

Door Thickness _____ Cylinder to Through Bolt _____


Lock Location _____ Do you require a spring assist? Yes ☐ No ☐

Through Bolt Spacing _____

If lock body is not centered in the door, please indicate the distance from the interior surface to the center of the lock.


AMERICAN MULTIPOINT LOCK

CONFIGURATION 3




Typical for Marvin, Amerock, JELD-WEN and Weathershield doors.
Specify vertical or horizontal tailpiece.

CONFIGURATION 4




Typical for GU-Eagle locks.
Typical applications include lever high or lever low. Specify vertical or horizontal tailpiece.

CONFIGURATION 5




Typical for Pella doors, lever high.
Specify vertical or horizontal tailpiece.

CONFIGURATION 6



Typical for Andersen 105mm with proprietary cylinder interface.

CUSTOM



Door Manufacturer

Lock Manufacturer

Door Thickness

Lock Location

Through Bolt Spacing


Spindle to Through Bolt

Spindle to Cylinder

Cylinder to Through Bolt

Spring assist? Yes ☐ No ☐

EXTENDED LIP MORTISE STRIKE PLATES WORK SHEET



There are predetermined strike lips for most standard door sizes, but if you have a non-typical door thickness or oversized door moldings, a custom strike may be required.

If this is the case it is necessary to use an extended lip strike plate. Usually it is desirable for the strike lip to extend approximately 3/8" beyond the door jamb or molding. This allows the lock latch to engage with the strike without causing damage to your jamb.

INFORMATION REQUIRED

Lock Model: Specify the model of the mortise lock

Function: Latch & Bolt or Latch Only

Handing: LH - Left Hand

LHR - Left Hand Reverse

LUD - Left Hand, Upside Down

LHRUD - Left Hand Reverse, Upside Down

RH - Right Hand

RHR - Right Hand Reverse

RUD - Right Hand, Upside Down

RHRUD - Right Hand Reverse, Upside Down

X: Centerline of screws to edge of door Jamb

Lip: Dimension "X" + 3/8"

Quantity: Number of each strikes needed

Finish: Strike plates are typically finished to match the hinges

Please enter your information here:

Lock Model

Latch & Bolt

☐

Latch Only

☐

Handing

"X" Dimnesion: Centerline to edge of jamb

Lip Dimension: "X" + 3/8"


Quantity

Finish

MORTISE LOCK RABBET KIT WORK SHEET

Rabbet kits are available for mortise lock applications. When door sets have rabbets, both a modified strike plate and face plate are required.

A typical rabbet depth is 1/2" deep. Carefully measure your doors and provide the following dimensions.



Door Thickness

Mortise Lock Model

Handing

A. Rabbet Width

B. Face Width

C. Rabbet Depth (1/2" Typical)

D. Rabbet Depth (1/2" Typical)

Lock center in door? Yes ☐ No ☐

If lock body is not centered in the door, please indicate the distance from the interior surface to the center of the lock.

D. Rabbet Depth (1/2" Typical)

Please indicate if you desire a Traditional Style rabbet kit as shown on the Accurate Lock website:

www.accuratelockandhardware.com

FINISH RING ORDER FORM

Standard Finish Ring \$75.00 (shipping included)

This collection of 32 finish chips comes on a key ring for easy access. Each chip measures 2" in diameter. Individual finish chips may be purchased for \$18.00 each. When ordering, indicate the finish code and quantity desired
The standard finishes in this collection are:

 PS Polished Silver	 PN Polished Nickel	 PC Polished Chrome	 AS Antique Silver
 SS Satin Silver	 SN Satin Nickel	 SC Satin Chrome	 WN Weathered Nickel
 WAN - Weathered Antique Nickel	 AN Antique Nickel	 BN Burnished Nickel	 BNAN - Burnished Antique Nickel
 WP Weathered Pewter	 AP Antique Pewter	 PB - Polished Brass PBNL - No Lacquer	 PA Polished Antique
 TN Tarnished	 BNB Burnished Brass	 BNAB - Burnished Antique Brass	 SB - Satin Brass SBNL - No Lacquer
 AB Antique Brass	 BNBW - Burnished Brass - Waxed	 WB Weathered Brass	 WZ Weathered Bronze
 PCU Polished Copper	 SCU Satin Copper	 WC Weathered Copper	 AC Antique Copper
 BARC Barcelona	 RB Relieved Bronze	 ORB - Oil Rubbed Bronze	 MB - Matte Black

PVD Finish Ring \$75.00 (shipping included)

This collection of 19 finish chips comes on a key ring for easy access. Each chip measures 2" in diameter. Individual finish chips may be purchased for \$18.00 each. When ordering, indicate the finish code and quantity desired
The PVD finishes in this collection are:

 PVD-PC Polished Chrome	 PVD-SC Satin Chrome	 PVD-PN Polished Nickel	 PVD-SN Satin Nickel
 PVD-PBN Polished Black Nickel	 PVD-SS Stainless Steel	 PVD-GR Graphite	 PVD-PB Polished Brass
 PVD-SB Satin Brass	 PVD-PG Polished Gold	 PVD-FG French Gold	 PVD-SG Satin Gold
 PVD-SBZ Satin Bronze	 PVD-MBZ Mocha Bronze	 PVD-ORB Oil Rubbed Bronze	

Standard Ring Qnty: _____ PVD Ring Qnty: _____

Individual Chips: _____ Total \$ _____

Name: _____ Company: _____

Billing Address: _____

Shipping Address: _____

Email: _____ Credit Card # _____

Exp. Date _____ Security Code _____ Signature: _____



WATER STREET.
JAMESTOWN NEW YORK

PRICE TIER COMPONENT INDEX

TIER I - KNOBS




25000 KNOB




25002 KNOB




25005 KNOB



25011 KNOB



25013 KNOB



25015 KNOB



25016 KNOB



25026 KNOB



25032 KNOB

The price tier is determined by the knob, lever or handle. Rosettes are interchangeable and do not affect price tier.



WATER STREET.
JAMESTOWN NEW YORK

TIER I - KNOBS - CONTINUED



25035 KNOB




25037 KNOB



25038 KNOB



25041 KNOB



25044 KNOB

The price tier is determined by the knob, lever or handle. Rosettes are interchangeable and do not affect price tier.

TIER II - KNOBS



25055-B BEAD KNOB



25015* KNURL KNOB



25017-C RECESSED COIN KNOB

* INSERT KNURLING CODE:
 -C = COIN | -D = DIAMOND | -R = ROPE



25024 KNOB




25026-C KNOB



25026-D KNOB



25035-C COIN KNOB



25041* KNURL KNOB



25048 KNOB

* INSERT KNURLING CODE:
 -C = COIN | -D = DIAMOND | -R = ROPE

The price tier is determined by the knob, lever or handle. Rosettes are interchangeable and do not affect price tier.

TIER II - KNOBS - CONTINUED



25048* KNURL KNOB



25055 COIN KNOB



25056 OVAL KNOB

* INSERT KNURLING CODE:
-C = COIN | -D = DIAMOND | -R = ROPE

TIER III - KNOBS



25029 WOOD KNOB
WALNUT WOOD SHOWN

The price tier is determined by the knob, lever or handle. Rosettes are interchangeable and do not affect price tier.

TIER I - LEVERS



23015 LEVER



23020 LEVER



23024 LEVER



23030 LEVER



23071 LEVER



23075 LEVER

TIER II - LEVERS



23015* KNURL LEVER

* INSERT KNURLING CODE:
-C = COIN | -D = DIAMOND | -R = ROPE



23030* KNURL LEVER

* INSERT KNURLING CODE:
-C = COIN | -D = DIAMOND | -R = ROPE



23040 LEVER

The price tier is determined by the knob, lever or handle. Rosettes are interchangeable and do not affect price tier.



WATER STREET.
JAMESTOWN NEW YORK

TIER II - LEVERS - CONTINUED



23056 LEVER



23062 LEVER



23064 LEVER



23066R-C RECESSED
COIN LEVER



23075* KNURL LEVER

* INSERT KNURLING CODE:
-C = COIN | -D = DIAMOND | -R = ROPE



23076 LEVER



23080 LEVER



23085 LEVER



23095 LEVER

The price tier is determined by the knob, lever or handle. Rosettes are interchangeable and do not affect price tier.

TIER II - LEVERS - CONTINUED



23100 LEVER

TIER III - LEVERS



23050 LEVER



23060 LEVER



23063 WOOD LEVER -
EBONY WOOD SHOWN



23064* KNURL LEVER

* INSERT KNURLING CODE:
-C = COIN | -D = DIAMOND



23072 LEVER
20150 ROSETTE



23090 LEVER

The price tier is determined by the knob, lever or handle. Rosettes are interchangeable and do not affect price tier.



WATER STREET.
JAMESTOWN NEW YORK

TIER I - ENTRY HANDLES



7370
ENTRY HANDLE



7375
ENTRY HANDLE



7401
ENTRY HANDLE



7404
ENTRY HANDLE



7404SS
ENTRY HANDLE



7430
ENTRY HANDLE



7513
ENTRY HANDLE



7813
ENTRY HANDLE

The price tier is determined by the knob, lever or handle. Rosettes are interchangeable and do not affect price tier.



WATER STREET.
JAMESTOWN NEW YORK

TIER II - ENTRY HANDLES



**7370-B
ENTRY HANDLE**



**7375*
ENTRY HANDLE**

* INSERT KNURLING CODE:
-C = COIN | -D = DIAMOND |
-R = ROPE

The price tier is determined by the knob, lever or handle. Rosettes are interchangeable and do not affect price tier.



WATER STREET
JAMESTOWN NEW YORK

TUBULAR SECTIONAL HEAVY LEVER REQUIREMENTS

Due to the solid brass construction of our hardware, a number of our levers are heavier than a standard tubular latch can comfortably support. To prevent sagging levers, it is required that the following styles be installed with pre-drilled adapters equipped with a spring assist. This adapter requires a **large rosette** in order to cover the pre-bore hole. The doors **must** be pre-bored in order to accommodate the adapter.

To avoid using this adapter and a large rosette, a mortise lock can be ordered instead. Mortise locks used with sectional trim have enhanced spring strength to help alleviate sagging levers.

AFFECTED LEVERS

23020



23040



23050




23056
23056-C
23056-D
23056-R



23060



23062



23064
23064-C
23064-D



23066
230066-C
230066-D
230066-R



23076



23080



23085



23095

